

Rabbit anti-Human TNFAIP8 Polyclonal Antibody | anti-TNFAIP8 antibody

TNFAIP8 Antibody

CATALOG # AAA231495	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

TNFAIP8; Polyclonal Antibody; TNFAIP8 Antibody; Tumor necrosis factor alpha-induced protein 8; TNF alpha-induced protein 8; Head and neck tumor and metastasis-related protein; MDC-3.13; NF-kappa-B-inducible DED-containing protein; NDED; SCC-S2; TNF-induced protein GG2-1; anti-TNFAIP8 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid
Sequence Length	188
Applicable Applications for anti-TNFAIP8 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Species	Human
Immunogen	Recombinant human Tumor necrosis factor alpha-induced protein 8 protein (1-198AA)
Conjugate	Non-conjugated
Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-82054
Immunogen	Species Homo sapiens (Human)
Research Area	Immunology
Target Names	TNFAIP8
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.


IMAGES



IHC (Immunohistochemisry)
Immunohistochemistry of paraffin-embedded human breast cancer using AAA231495 at dilution 1:100



IHC (Immunohiostchemistry)
Immunohistochemistry of paraffin-embedded human colon cancer using AAA231495 at dilution 1:100



WB (Western Blot)
Western blotAll lanes: TNFAIP8antibody at 2.32ug/mlLane 1 : A431 whole cell lysateLane 2 : PC-3 whole cell lysateSecondaryGoat polyclonal to Rabbit IgG at 1/10000 dilutionPredicted band size: 24,23,22,25 kDaObserved band size: 23 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-TNFAIP8 antibody	Acts as a negative mediator of apoptosis and may play a role in tumor progression. Suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-3 activation.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	117676370
NCBI GeneID	25816
NCBI Accession #	NP_001071122.1
NCBI GenBank Nucleotide #	NM_001077654.2
UniProt Accession #	O95379; Q9P1Q1; Q9UER5; Q9UP47; B3KMH1; B3KMI2; B7Z713
Molecular Weight	24,385 Da
NCBI Official Full Name	tumor necrosis factor alpha-induced protein 8 isoform b
NCBI Official Synonym Full Names	TNF alpha induced protein 8
NCBI Official Symbol	TNFAIP8
NCBI Official Synonym Symbols	NDED; GG2-1; SCCS2; SCC-S2; MDC-3.13

NCBI Protein Information	tumor necrosis factor alpha-induced protein 8
UniProt Protein Name	Tumor necrosis factor alpha-induced protein 8
UniProt Gene Name	TNFAIP8
UniProt Synonym Gene Names	TNF alpha-induced protein 8; NDED
UniProt Entry Name	TFIP8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tnfaip8-antibody-immunohistochemistry-western-blot-elisa/231495>