

Rabbit anti-Human CPSF3L Polyclonal Antibody | anti-CPSF3L antibody

CPSF3L Antibody

CATALOG # AAA231642	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

CPSF3L; Polyclonal Antibody; CPSF3L Antibody; Integrator complex subunit 11; Int11; Cleavage and polyadenylation-specific factor 3-like protein; CPSF3-like protein; Protein related to CPSF subunits of 68 kDa; RC-68; INTS11; RC68; anti-CPSF3L antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid
Sequence Length	606
Applicable Applications for anti-CPSF3L antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Species	Human
Immunogen	Recombinant human Integrator complex subunit 11 protein (C-270AA)
Conjugate	Non-conjugated
Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-160249
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human breast cancer using AAA231642 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human testis tissue using AAA231642 at dilution 1:100



WB (Western Blot)

Western blotAll lanes: CPSF3Lantibody at 4.2ug/mlLane 1 : Colo320 whole cell lysateLane 2 :
Hela whole cell lysateLane 3 : MCF7 whole cell lysateSecondaryGoat polyclonal to Rabbit IgG
at 1/10000 dilutionPredicted band size: 68,57,66,65,69 kDaObserved band size: 68 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-CPSF3L antibody

Catalytic component of the Integrator complex, a complex involved in the small nuclear RNAs (snRNA) U1 and U2 transcription and in their 3'-box-dependent processing. The Integrator complex is associated with the C-terminal domain (CTD) of RNA polymerase II largest subunit (POLR2A) and is recruited to the U1 and U2 snRNAs genes. Mediates the snRNAs 3' cleavage.

NCBI AND UNIPROT INFORMATION

NCBI GI #	374253819
NCBI GeneID	54973
NCBI Accession #	NP_001243385.1
NCBI GenBank Nucleotide #	NM_001256456.1
UniProt Accession #	Q5TA45; Q5TA46; Q5TA48; Q5TA52; Q5TA53; Q5TA54; Q7L3D7; Q96HY1; A8K5S2; B3KPR3; B4DM87; G3V1S5
Molecular Weight	68,147 Da
NCBI Official Full Name	integrator complex subunit 11 isoform 1
NCBI Official Synonym Full Names	cleavage and polyadenylation specific factor 3-like
NCBI Official Symbol	CPSF3L
NCBI Official Synonym Symbols	RC68; INT11; RC-68; INTS11; CPSF73L
NCBI Protein Information	integrator complex subunit 11
UniProt Protein Name	Integrator complex subunit 11
UniProt Gene Name	CPSF3L
UniProt Synonym Gene Names	INTS11; RC68; Int11; CPSF3-like protein; RC-68
UniProt Entry Name	INT11_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cpsf3l-antibody-immunohistochemistry-western-blot-elisa/231642>