

General Dopamine ELISA Kit | DA elisa kit

General Dopamine ELISA Kit

CATALOG #
AAA23246

REACTIVITY
General


PRODUCT SYNONYMS

Dopamine; General Dopamine ELISA Kit; DA; DA elisa kit

PRODUCT SPECIFICATIONS

Reactivity	General
Specificity	Recombinant and natural General Dopamine
Samples	Serum, plasma, tissue homogenates, cell culture supernates or other biological fluids
Assay Type	Quantitative Competitive
Detection Range	1.56-100 ng/mL
Sensitivity	< 0.49 ng/mL
Intra-assay Precision	Intra-Assay CV: <=6.1%
Inter-assay Precision	Inter-Assay CV: <=10.2%
Preparation and Storage	For long term storage, please store the entire kit at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for DA elisa kit	Intended Uses: This immunoassay kit allows for the in vitro quantitative determination of target antigen concentrations in serum, plasma, tissue homogenates, cell culture supernates or other biological fluids. Principle of the Assay: The ELISA is based on the competitive binding enzyme immunoassay technique. The microtiter plate provided in this kit has been pre-coated with an antibody specific to target antigen, During the reaction, target antigen in the sample or standard competes with a fixed amount of biotin-labeled target antigen for sites on a pre-coated antibody specific to target antigen. Excess conjugate and unbound sample or standard are washed from the plate. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then a TMB substrate solution is added to each well. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The concentration of target antigen in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/da-general-elisa-kits/dopamine/23246>