

Rabbit anti-Human MCL1 Polyclonal Antibody | anti-MCL1 antibody

MCL1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA232736	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

MCL1; Polyclonal Antibody; MCL1 Antibody; Induced myeloid leukemia cell differentiation protein Mcl-1; Bcl-2-like protein 3; Bcl2-L-3; Bcl-2-related protein EAT/mcl1; mcl1/EAT; BCL2L3; anti-MCL1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	197
Applicable Applications for anti-MCL1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Recombinant human Induced myeloid leukemia cell differentiation protein Mcl-1 protein (19-244AA)
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, PH 7.4
Conjugation	Non-conjugated
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-20679 / sc-958 / sc-819
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.


IMAGES


IF (Immunofluorescence)


Immunofluorescent analysis of Hela cells using AAA232736 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)


IHC (Immunohistochemistry)

Immunofluorescent analysis of MCF-7 cells using AAA232736 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human kidney tissue using AAA232736 at dilution of 1:100



WB (Western Blot)
Western Blot Positive WB detected in: Jurkat whole cell lysate All lanes: MCL1 antibody at 3.2ug/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 38,29 kDa Observed band size: 38 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-MCL1 antibody

Involved in the regulation of apoptosis versus cell survival, and in the maintenance of viability but not of proliferation. Mediates its effects by interactions with a number of other regulators of apoptosis. Isoform 1 inhibits apoptosis. Isoform 2 promotes apoptosis.

NCBI AND UNIPROT INFORMATION

NCBI GI #	309747067
NCBI GeneID	4170
NCBI Accession #	NP_001184249.1
NCBI GenBank Nucleotide #	NM_001197320.1
UniProt Accession #	Q07820; Q9HD91; Q9NRQ3; Q9NRQ4; Q9UHR7; Q9UHR8; Q9UHR9; Q9UNJ1; B2R6B2; D3DV03; D3DV04
Molecular Weight	28,662 Da
NCBI Official Full Name	induced myeloid leukemia cell differentiation protein Mcl-1 isoform 3
NCBI Official Synonym Full Names	BCL2 family apoptosis regulator
NCBI Official Symbol	MCL1
NCBI Official Synonym Symbols	TM; EAT; MCL1L; MCL1S; Mcl-1; BCL2L3; MCL1-ES; bcl2-L-3; mcl1/EAT
NCBI Protein Information	induced myeloid leukemia cell differentiation protein Mcl-1
UniProt Protein Name	Induced myeloid leukemia cell differentiation protein Mcl-1
UniProt Gene Name	MCL1
UniProt Synonym Gene Names	BCL2L3; Bcl2-L-3
UniProt Entry Name	MCL1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mcl1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/232736>