

Rabbit anti-Human CCR10 Polyclonal Antibody | anti-CCR10 antibody

CCR10 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA233179	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

CCR10; Polyclonal Antibody; CCR10 Antibody; C-C chemokine receptor type 10; C-C CKR-10; CC-CKR-10; CCR-10; G-protein coupled receptor 2; GPR2; anti-CCR10 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	362
Applicable Applications for anti-CCR10 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human C-C chemokine receptor type 10 protein (314-362AA)
Conjugation	Non-conjugated
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES




WB (Western Blot)

Western Blot Positive WB detected in: A549 whole cell lysate, HepG2 whole cell lysate. All lanes: CCR10 antibody at 2.7ug/ml. Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution. Predicted band size: 39 KDa. Observed band size: 39 KDa.



IF (Immunofluorescence)

Immunofluorescent analysis of A549 cells using AAA233179 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using AAA233179 at dilution of 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-CCR10 antibody	Receptor for chemokines SCYA27 and SCYA28. Subsequently transduces a signal by increasing the intracellular calcium ions level and stimulates chemotaxis in a pre-B cell line.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	156104886
NCBI GeneID	2826
NCBI Accession #	NP_057686.2
NCBI GenBank Nucleotide #	NM_016602.2
UniProt Accession #	P46092; Q4V749; Q6T7X2; Q9NZG2
Molecular Weight	38,416 Da
NCBI Official Full Name	C-C chemokine receptor type 10
NCBI Official Synonym Full Names	C-C motif chemokine receptor 10
NCBI Official Symbol	CCR10
NCBI Official Synonym Symbols	GPR2
NCBI Protein Information	C-C chemokine receptor type 10
UniProt Protein Name	C-C chemokine receptor type 10
UniProt Gene Name	CCR10
UniProt Synonym Gene Names	GPR2; C-C CKR-10; CC-CKR-10; CCR-10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ccr10-antibody-immunofluorescence-immunohistochemistry-elisa/233179>