

Rabbit anti-Human HTR1A Polyclonal Antibody | anti-HTR1A antibody

HTR1A Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA233814	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

HTR1A; Polyclonal Antibody; HTR1A Antibody; 5-hydroxytryptamine receptor 1A; 5-HT-1A; 5-HT1A; G-21; Serotonin receptor 1A; ADRB2RL1; ADRBRL1; anti-HTR1A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	422
Applicable Applications for anti-HTR1A antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human 5-hydroxytryptamine receptor 1A protein (230-334AA)
Conjugation	Non-conjugated
Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)

Immunofluorescent analysis of HepG2 cells using AAA233814 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohistochemistry)

Immunohistochemistry analysis of human small intestine tissue using AAA233814 at dilution of 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-HTR1A antibody	G-protein coupled receptor for 5-hydroxytryptamine (serotonin). Also functions as a receptor for various drugs and psychoactive substances. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors, such as adenylate cyclase. Beta-arrestin family members inhibit signaling via G proteins and mediate activation of alternative signaling pathways. Signaling inhibits adenylate cyclase activity and activates a phosphatidylinositol-calcium second messenger system that regulates the release of Ca(2+) ions from intracellular stores. Plays a role in the regulation of 5-hydroxytryptamine release and in the regulation of dopamine and 5-hydroxytryptamine metabolism. Plays a role in the regulation of dopamine and 5-hydroxytryptamine levels in the brain, and thereby affects neural activity, mood and behavior. Plays a role in the response to angiogenic stimuli.
Product Categories/Family for anti-HTR1A antibody	Neuroscience; Cancer; Metabolism; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	55956923
NCBI GeneID	3350
NCBI Accession #	NP_000515.2
NCBI GenBank Nucleotide #	nM_000524.3
UniProt Accession #	P08908; Q6LAE7
Molecular Weight	46,107 Da
NCBI Official Full Name	5-hydroxytryptamine receptor 1A
NCBI Official Synonym Full Names	5-hydroxytryptamine receptor 1A
NCBI Official Symbol	HTR1A
NCBI Official Synonym Symbols	G-21; 5HT1a; PFMCD; 5-HT1A; 5-HT-1A; ADRBRL1; ADRB2RL1
NCBI Protein Information	5-hydroxytryptamine receptor 1A
UniProt Protein Name	5-hydroxytryptamine receptor 1A
UniProt Gene Name	HTR1A
UniProt Synonym Gene Names	ADRB2RL1; ADRBRL1; 5-HT-1A; 5-HT1A

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/htr1a-antibody-immunofluorescence-immunohistochemistry-elisa/233814>