

Rabbit anti-Human ENTPD1 Polyclonal Antibody | anti-ENTPD1 antibody

ENTPD1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA235296	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot, ELISA



PRODUCT SYNONYMS

ENTPD1; Polyclonal Antibody; ENTPD1 Antibody; Ectonucleoside triphosphate diphosphohydrolase 1; NTPDase 1; Ecto-ATP diphosphohydrolase 1; Ecto-ATPDase 1; Ecto-ATPase 1; Ecto-apyrase; Lymphoid cell activation antigen; CD39; anti-ENTPD1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95% Protein G Purified
Form/Format	Liquid
Sequence Length	517
Applicable Applications for anti-ENTPD1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen Species	Human
Immunogen	Recombinant Human Ectonucleoside triphosphate diphosphohydrolase 1 protein (316-474AA)
Conjugate	Non-Conjugated
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)
Immunofluorescence staining of Hela cells with CSB-PA007690LA01HU at 1:166, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).

IHC (Immunohistochemistry)
IHC image of CSB-PA007690LA01HU diluted at 1:500 and staining in paraffin-embedded human tonsil tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



WB (Western Blot)
Western BlotPositive WB detected in: HL60 whole cell lysate, HepG2 whole cell lysate, U251 whole cell lysateAll lanes: ENTPD1 antibody at 2.6ug/mlSecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 58, 59, 35, 43, 47, 60 kDaObserved band size: 58, 43 kDa

ADDITIONAL INFORMATION

Product Categories/Family for anti-ENTPD1 antibody	Immunology
--	------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	147905700
NCBI GeneID	953
NCBI Accession #	NP_001091645.1
NCBI GenBank Nucleotide #	NM_001098175.1
UniProt Accession #	P49961; Q5T561; Q5T562; Q86VV3; Q9UQQ9; Q9Y3Q9; A9Z1X8; B4DWB9; B4E1X1; B7Z599; G3XAF6
Molecular Weight	58,706 Da
NCBI Official Full Name	ectonucleoside triphosphate diphosphohydrolase 1 isoform 2
NCBI Official Synonym Full Names	ectonucleoside triphosphate diphosphohydrolase 1
NCBI Official Symbol	ENTPD1

NCBI Official Synonym Symbols	CD39; SPG64; ATPDase; NTPDase-1
NCBI Protein Information	ectonucleoside triphosphate diphosphohydrolase 1
UniProt Protein Name	Ectonucleoside triphosphate diphosphohydrolase 1
UniProt Gene Name	ENTPD1
UniProt Synonym Gene Names	CD39; NTPDase 1; Ecto-ATPDase 1; Ecto-ATPase 1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/entpd1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/235296>