

Rabbit anti-Human UBC Polyclonal Antibody | anti-UBC antibody

UBC Antibody

CATALOG # AAA235374	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

UBC; Polyclonal Antibody; UBC Antibody; Polyubiquitin-C [Cleaved into: Ubiquitin]; anti-UBC antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Sequence Length	685
Applicable Applications for anti-UBC antibody	WB (Western Blot), ELISA
Conjugate	Non-Conjugated
Immunogen	Recombinant Human Polyubiquitin-C protein (19-36AA)
Immunogen Species	Homo sapiens (Human)
Research Area	Neuroscience
Target Names	UBC
Preparation and Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

IMAGES



WB (Western Blot)
Positive WB detected in: HepG2 whole cell lysate, A549 whole cell lysate, HeLa whole cell lysate, MCF-7 whole cell lysate, K562 whole cell lysate, LO2 whole cell lysate, Jurkat whole cell lysate
All lanes: UBC antibody at 1:2000
Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution
Predicted band size: 78 kDa
Observed band size: 78 kDa

ADDITIONAL INFORMATION

Product Categories/Family for anti-UBC antibody	Neuroscience
---	--------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	601984520
NCBI GeneID	7316
NCBI Accession #	NP_066289.3
NCBI GenBank Nucleotide #	NM_021009.7
UniProt Accession #	P0CG48; P02248; P02249; P02250; P62988; Q29120; Q6LBL4; Q6LDU5; Q8WYN8; Q91887; Q91888; Q9BWD6
NCBI Official Full Name	polyubiquitin-C
NCBI Official Synonym Full Names	ubiquitin C
NCBI Official Symbol	UBC
NCBI Official Synonym Symbols	HMG20
NCBI Protein Information	polyubiquitin-C
UniProt Protein Name	Polyubiquitin-C
UniProt Gene Name	UBC

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.