

Mouse anti-Human HCLS1 Monoclonal Antibody | anti-HCLS1 antibody

HCLS1 (Hematopoietic Lineage Cell-specific Protein, Hematopoietic Cell-specific LYN Substrate 1, LckBP1, p75, HS1) (AP)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA24234	Mouse	Human	ELISA, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS


HCLS1; Monoclonal Antibody; HCLS1 (Hematopoietic Lineage Cell-specific Protein; Hematopoietic Cell-specific LYN Substrate 1; LckBP1; p75; HS1) (AP); anti-HCLS1 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1,k
Clone Number	1A8
Specificity	Recognizes human HCLS1.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Alkaline Phosphatase (AP).
Applicable Applications for anti-HCLS1 antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Application Notes	IHC-P: 3ug/ml Applications are based on unconjugated antibody.
Immunogen	Partial recombinant corresponding to aa266-355 from human HCLS1 (AAH16758) with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	QERKAVTKRSPEAPQPVIAMEEPAVPAPLPKKISSEAWPPVGTTPPSSESEPVRTSREHPVPLLPIRQTLPEDNEEPPALPPRTLEGLQVE
Conjugate	AP
Preparation and Storage	Store product at 4 degree C. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial prior to removing the cap.




Application Data
Proximity Ligation Analysis (PLA) of protein-protein interactions between CASP3 and HCLS1. HeLa cells were stained with anti-CASP3 rabbit purified polyclonal 1:1200 and anti-HCLS1 mouse monoclonal antibody 1:50. Signals were detected by Duolink® 30 Detection Kit 613 (red), and nuclei were counterstained with DAPI (blue). Each red dot represents the detection of protein-protein interaction complex.




Application Data
Detection limit for recombinant GST tagged HCLS1 is ~0.1ng/ml as a capture antibody.




WB (Western Blot)
Western blot analysis of HCLS1 over-expressed 293 cell line, cotransfected with HCLS1 Validated Chimera RNAi (Lane 2) or non-transfected control (Lane 1). Blot probed with HCLS1 monoclonal antibody GAPDH (36.1kD) used as specificity and loading control.



IHC (Immunohistochemistry)
Immunoperoxidase of monoclonal antibody to HCLS1 on formalin-fixed paraffin-embedded human tonsil. [antibody concentration 3ug/ml]



WB (Western Blot)
Western Blot analysis of HCLS1 expression in transfected 293T cell line by HCLS1 monoclonal antibody. Lane 1: HCLS1 transfected lysate (54kD). Lane 2: Non-transfected lysate.



WB (Western Blot)
HCLS1 monoclonal antibody Western Blot analysis of HCLS1 expression in K-562.

ADDITIONAL INFORMATION

Product Categories/Family for anti-HCLS1 antibody	Antibodies; Proteins
---	----------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	34782817
NCBI GeneID	3059
Molecular Weight	24,008 Da
NCBI Official Full Name	Homo sapiens hematopoietic cell-specific Lyn substrate 1, mRNA
NCBI Official Synonym Full Names	hematopoietic cell-specific Lyn substrate 1
NCBI Official Symbol	HCLS1
NCBI Official Synonym Symbols	HS1; p75; CTTNL; lckBP1
NCBI Protein Information	hematopoietic lineage cell-specific protein

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/hcls1-antibody-clone-1a8-immunohistochemistry-western-blot-elisa/24234>