

Rabbit anti-Human ATF5 Polyclonal Antibody | anti-ATF5 antibody

ATF5 Antibody

CATALOG # AAA243495	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

ATF5; Polyclonal Antibody; ATF5 Antibody; Cyclic AMP-dependent Transcription factor ATF-5 (cAMP-dependent Transcription factor ATF-5) (Activating Transcription factor 5) (Transcription factor ATFx); ATFx; anti-ATF5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Applicable Applications for anti-ATF5 antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human Cyclic AMP-dependent transcription factor ATF-5 protein (1-282AA)
Immunogen Species	Human
Conjugate	Non-conjugated
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image of AAA243495 diluted at 1:100 and staining in paraffin-embedded human cervical cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

IHC image of AAA243495 diluted at 1:100 and staining in paraffin-embedded human pancreatic tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

ADDITIONAL INFORMATION

Product Categories/Family for anti-ATF5 antibody	Epigenetics and Nuclear Signaling
--	-----------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	302370956
NCBI GeneID	22809
NCBI Accession #	NP_001180575.1
NCBI GenBank Nucleotide #	NM_001193646.1
UniProt Accession #	Q9Y2D1; Q9BSA1; Q9UNQ3; B3KND3
Molecular Weight	30,674 Da
NCBI Official Full Name	cyclic AMP-dependent transcription factor ATF-5
NCBI Official Synonym Full Names	activating transcription factor 5
NCBI Official Symbol	ATF5
NCBI Official Synonym Symbols	ATFX; HMFN0395
NCBI Protein Information	cyclic AMP-dependent transcription factor ATF-5; transcription factor ATFX; cAMP-dependent transcription factor ATF-5
UniProt Protein Name	Cyclic AMP-dependent transcription factor ATF-5
UniProt Gene Name	ATF5
UniProt Synonym Gene Names	ATFX; cAMP-dependent transcription factor ATF-5
UniProt Entry Name	ATF5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/atf5-antibody-immunohistochemistry-elisa/243495>