ITGAV recombinant antibody

ITGAV Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA243891	**Rabbit**	**Human**	**Immunohistochemistry, Western Blot, ELISA**

PRODUCT SYNONYMS

ITGAV; Monoclonal Recombinant Antibody; ITGAV Antibody; Integrin alpha-V (Vitronectin receptor) (Vitronectin receptor subunit alpha) (CD antigen CD51) [Cleaved into: Integrin alpha-V heavy chain; Integrin alpha-V light chain]; MSK8 VNRA VTNR; ITGAV recombinant antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	5G3
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for ITGAV recombinant antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human Integrin alpha V
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES

IHC (Immunohiostchemistry)
IHC image diluted at 1:100 and staining in paraffin-embedded human placenta tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

WB (Western Blot)
Western BlotPositive WB detected in: U-251 whole cell lysate, Hela whole cell lysate, HepG2 whole cell lysateAll lanes: ITGAV antibody at 1:1000SecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 117, 113, 112 kDaObserved band size: 130 kDa

ADDITIONAL INFORMATION

Related Product Information for ITGAV recombinant antibody	The alpha-V (ITGAV) integrins are receptors for vitronectin, cytotactin, fibronectin, fibrinogen, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin and vWF. They recognize the sequence R-G-D in a wide array of ligands. ITGAV:ITGB3 binds to fractalkine (CX3CL1) and may act as its coreceptor in CX3CR1-dependent fractalkine signaling (PubMed:23125415). ITGAV:ITGB3 binds to NRG1 (via EGF domain) and this binding is essential for NRG1-ERBB signaling (PubMed:20682778). ITGAV:ITGB3 binds to FGF1 and this binding is essential for FGF1 signaling (PubMed:18441324). ITGAV:ITGB3 binds to IGF1 and this binding is essential for IGF1 signaling (PubMed:19578119). ITGAV:ITGB3 binds to PLA2G2A via a site (site 2) which is distinct from the classical ligand-binding site (site 1) and this induces integrin conformational changes and enhanced ligand binding to site 1 (PubMed:18635536, PubMed:25398877). ITGAV:ITGB3 and ITGAV:ITGB6 act as a receptor for fibrillin-1 (FBN1) and mediate R-G-D-dependent cell adhesion to FBN1 (PubMed:12807887, PubMed:17158881).
Product Categories/Family for ITGAV recombinant antibody	Cancer; Cardiovascular; Microbiology; Signal transduction; Stem cells

NCBI AND UNIPROT INFORMATION

NCBI GI #	223468595
NCBI GeneID	3685
NCBI Accession #	NP_001138471.1
NCBI GenBank Nucleotide #	NM_001144999.2
UniProt Accession #	P06756; Q53SK4; Q59EB7; Q6LD15; A0AV67; B0LPF4; B7Z883; D3DPG8; E7EWZ6
Molecular Weight	116,038 Da
NCBI Official Full Name	integrin alpha-V isoform 2
NCBI Official Synonym Full Names	integrin, alpha V
NCBI Official Symbol	ITGAV
NCBI Official Synonym Symbols	CD51; MSK8; VNRA; VTNR
NCBI Protein Information	integrin alpha-V; integrin alphaVbeta3; vitronectin receptor subunit alpha; antigen identified by monoclonal antibody L230; integrin, alpha V (vitronectin receptor, alpha polypeptide, antigen CD51)
UniProt Protein Name	Integrin alpha-V
UniProt Gene Name	**ITGAV**
UniProt Synonym Gene Names	MSK8; VNRA
UniProt Entry Name	ITAV_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://stage.aaabiotech.com/monoclonal/itgav-recombinant-antibody-clone-5g3-immunohistochemistry-western-blot-elisa/243891