

CYP17A1 recombinant antibody

CYP17A1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA243914	Rabbit	Human, Rat	Immunofluorescence, Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

CYP17A1; Monoclonal Recombinant Antibody; CYP17A1 Antibody; Steroid 17-alpha-hydroxylase/17;20 lyase (EC 1.14.14.19) (17-alpha-hydroxyprogesterone aldolase) (EC 1.14.14.32) (CYPXVII) (Cytochrome P450 17A1) (Cytochrome P450-C17) (Cytochrome P450c17) (Steroid 17-alpha-monooxygenase); CYP17 S17AH; CYP17A1 recombinant antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Rat
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	5A9
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for CYP17A1 recombinant antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human Cytochrome P450 17A1
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)

Immunofluorescence staining of HeLa Cells at 1:50, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeated by 0.2% TritonX-100, and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. Nuclear DNA was labeled in blue with DAPI. The secondary antibody was FITC-conjugated AffiniPure Goat Anti-Rabbit IgG ?H+L?.



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.



WB (Western Blot)

Western BlotPositive WB detected in: HepG2 whole cell lysate, Rat Heart whole cell lysate, Rat Brain whole cell lysateAll lanes: CYP17A1 antibody at 1:1000SecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 58 kDaObserved band size: 58 kDa

ADDITIONAL INFORMATION

Related Product Information for CYP17A1 recombinant antibody	Conversion of pregnenolone and progesterone to their 17-alpha-hydroxylated products and subsequently to dehydroepiandrosterone (DHEA) and androstenedione. Catalyzes both the 17-alpha-hydroxylation and the 17,20-lyase reaction. Involved in sexual development during fetal life and at puberty.
Product Categories/Family for CYP17A1 recombinant antibody	Cancer; Cardiovascular; Metabolism; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503195
NCBI GeneID	1586
NCBI Accession #	NP_000093.1
NCBI GenBank Nucleotide #	NM_000102.3
UniProt Accession #	P05093; Q5TZV7
Molecular Weight	57,371 Da
NCBI Official Full Name	steroid 17-alpha-hydroxylase/17,20 lyase
NCBI Official Synonym Full Names	cytochrome P450, family 17, subfamily A, polypeptide 1
NCBI Official Symbol	CYP17A1
NCBI Official Synonym Symbols	CPT7; CYP17; S17AH; P450C17
NCBI Protein Information	steroid 17-alpha-hydroxylase/17,20 lyase; CYPXVII; cytochrome P450c17; cytochrome P450-C17; cytochrome P450 17A1; cytochrome p450 XVIIA1; steroid 17-alpha-monooxygenase; 17-alpha-hydroxyprogesterone aldolase; cytochrome P450, subfamily XVII (steroid 17-al
UniProt Protein Name	Steroid 17-alpha-hydroxylase/17,20 lyase
UniProt Gene Name	CYP17A1
UniProt Synonym Gene Names	CYP17; S17AH; Cytochrome P450c17
UniProt Entry Name	CP17A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/cyp17a1-recombinant-antibody-clone-5a9-immunofluorescence-immunohistochemistry-western-blot-elisa/243914>