

PIK3CA recombinant antibody

PIK3CA Antibody

CATALOG # AAA243925	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Immunofluorescence, Western Blot, ELISA
-------------------------------	-----------------------	-----------------------------------	--


PRODUCT SYNONYMS

PIK3CA; Monoclonal Recombinant Antibody; PIK3CA Antibody; Phosphatidylinositol 4;5-bisphosphate 3-kinase catalytic subunit alpha isoform (PI3-kinase subunit alpha) (PI3K-alpha) (PI3Kalpha) (PtdIns-3-kinase subunit alpha) (EC 2.7.1.153) (Phosphatidylinositol 4;5-bisphosphate 3-kinase 110 kDa catalytic subunit alpha) (PtdIns-3-kinase subunit p110-alpha) (p110alpha) (Phosphoinositide-3-kinase catalytic alpha polypeptide) (Serine/threonine protein kinase PIK3CA) (EC 2.7.11.1); PIK3CA recombinant antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	10E5
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for PIK3CA recombinant antibody	IF (Immunofluorescence), WB (Western Blot), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human PI 3 Kinase catalytic subunit alpha
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)

Immunofluorescence staining of HeLa Cells at 1:50, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeated by 0.2% TritonX-100, and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. Nuclear DNA was labeled in blue with DAPI. The secondary antibody was FITC-conjugated AffiniPure Goat Anti-Rabbit IgG ?H+L?.



WB (Western Blot)

Western BlotPositive WB detected in: Jurkat whole cell lysate, HepG2 whole cell lysate, HeLa whole cell lysate, NIH/3T3 whole cell lysate, K562 whole cell lysate, 293 whole cell lysate, MCF-7 whole cell lysateAll lanes: PIK3CA antibody at 1:1500SecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 125 kDaObserved band size: 110 kDa

ADDITIONAL INFORMATION

Related Product Information for PIK3CA recombinant antibody	Phosphoinositide-3-kinase (PI3K) that phosphorylates PtdIns (Phosphatidylinositol), PtdIns4P (Phosphatidylinositol 4-phosphate) and PtdIns(4,5)P2 (Phosphatidylinositol 4,5-bisphosphate) to generate phosphatidylinositol 3,4,5-trisphosphate (PIP3). PIP3 plays a key role by recruiting PH domain-containing proteins to the membrane, including AKT1 and PDK1, activating signaling cascades involved in cell growth, survival, proliferation, motility and morphology. Participates in cellular signaling in response to various growth factors. Involved in the activation of AKT1 upon stimulation by receptor tyrosine kinases ligands such as EGF, insulin, IGF1, VEGFA and PDGF. Involved in signaling via insulin-receptor substrate (IRS) proteins. Essential in endothelial cell migration during vascular development through VEGFA signaling, possibly by regulating RhoA activity. Required for lymphatic vasculature development, possibly by binding to RAS and by activation by EGF and FGF2, but not by PDGF. Regulates invadopodia formation through the PDK1-AKT1 pathway. Participates in cardiomyogenesis in embryonic stem cells through a AKT1 pathway. Participates in vasculogenesis in embryonic stem cells through PDK1 and protein kinase C pathway. Also has serine-protein kinase activity: phosphorylates PIK3R1 (p85alpha regulatory subunit), EIF4EBP1 and HRAS. Plays a role in the positive regulation of phagocytosis and pinocytosis (By similarity).
Product Categories/Family for PIK3CA recombinant antibody	Cancer; Immunology; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	126302584
NCBI GeneID	5290
UniProt Accession #	P42336; Q14CW1; Q99762
Molecular Weight	1068
NCBI Official Full Name	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform
NCBI Official Synonym Full Names	phosphatidylinositol-4,5-bisphosphate 3-kinase, catalytic subunit alpha
NCBI Official Symbol	PIK3CA
NCBI Official Synonym Symbols	MCM; CWS5; MCAP; PI3K; CLOVE; MCMTC; p110-alpha
NCBI Protein Information	phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform; PI3K-alpha; PI3-kinase p110 subunit alpha; ptdIns-3-kinase subunit p110-alpha; serine/threonine protein kinase PIK3CA; phosphatidylinositol 3-kinase, catalytic, 110-KD, alpha;
UniProt Protein Name	Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha isoform
UniProt Gene Name	PIK3CA
UniProt Synonym Gene Names	PI3-kinase subunit alpha; PI3K-alpha; PI3Kalpha; PtdIns-3-kinase subunit alpha; PtdIns-3-kinase subunit p110-alpha; p110alpha
UniProt Entry Name	PK3CA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/pik3ca-recombinant-antibody-clone-10e5-immunofluorescence-western-blot-elisa/243925>