

MMP12 recombinant antibody

MMP12 Antibody

CATALOG # AAA243933	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

MMP12; Monoclonal Recombinant Antibody; MMP12 Antibody; Macrophage metalloelastase (MME) (EC 3.4.24.65) (Macrophage elastase) (ME) (hME) (Matrix metalloproteinase-12) (MMP-12); HME; MMP12 recombinant antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	2G3
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for MMP12 recombinant antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human MMP12
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.



WB (Western Blot)

Western Blot Positive WB detected in: 293T whole cell lysate, MCF-7 whole cell lysate, THP-1 whole cell lysate All lanes: MMP12 antibody at 1:1000 Secondary Goat polyclonal to rabbit IgG at 1/50000 Predicted band size: 55 kDa Observed band size: 54, 45 kDa

ADDITIONAL INFORMATION

Related Product Information for MMP12 recombinant antibody	May be involved in tissue injury and remodeling. Has significant elastolytic activity. Can accept large and small amino acids at the P1' site, but has a preference for leucine. Aromatic or hydrophobic residues are preferred at the P1 site, with small hydrophobic residues (preferably alanine) occupying P3.
--	--

Product Categories/Family for MMP12
recombinant antibody

Cancer; Cardiovascular; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	73858572
NCBI GeneID	4321
NCBI Accession #	NP_002417.2
NCBI GenBank Nucleotide #	NM_002426.4
UniProt Accession #	P39900; Q2M1L9; B2R9X8; B7ZLF6
Molecular Weight	54,002 Da
NCBI Official Full Name	macrophage metalloelastase preproprotein
NCBI Official Synonym Full Names	matrix metalloproteinase 12 (macrophage elastase)
NCBI Official Symbol	MMP12
NCBI Official Synonym Symbols	ME; HME; MME; MMP-12
NCBI Protein Information	macrophage metalloelastase; matrix metalloproteinase 12 (macrophage elastase)
UniProt Protein Name	Macrophage metalloelastase
UniProt Gene Name	MMP12
UniProt Synonym Gene Names	HME; MME; ME; hME; MMP-12
UniProt Entry Name	MMP12_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/mmp12-recombinant-antibody-clone-2g3-immunohistochemistry-western-blot-elisa/243933>