

ATP1A1 recombinant antibody

ATP1A1 Antibody

CATALOG # AAA243955	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

ATP1A1; Monoclonal Recombinant Antibody; ATP1A1 Antibody; Sodium/potassium-transporting ATPase subunit alpha-1 (Na(+)/K(+) ATPase alpha-1 subunit) (EC 3.6.3.9) (Sodium pump subunit alpha-1); ATP1A1 recombinant antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	4C3
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for ATP1A1 recombinant antibody	IHC (Immunohistochemistry), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human Sodium Potassium ATPase
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human kidney tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human liver cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.

ADDITIONAL INFORMATION

Related Product Information for ATP1A1 recombinant antibody	This is the catalytic component of the active enzyme, which catalyzes the hydrolysis of ATP coupled with the exchange of sodium and potassium ions across the plasma membrane. This action creates the electrochemical gradient of sodium and potassium ions, providing the energy for active transport of various nutrients.
Product Categories/Family for ATP1A1 recombinant antibody	Neuroscience; Cancer; Tags & Cell Markers; Metabolism; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	21361181
NCBI GeneID	476
NCBI Accession #	NP_000692.2
NCBI GenBank Nucleotide #	NM_000701.7
UniProt Accession #	P05023; Q16689; Q6LDM4; Q9UCN1; Q9UJ20; Q9UJ21; B2RBR6; B7Z3U6
Molecular Weight	112,896 Da
NCBI Official Full Name	sodium/potassium-transporting ATPase subunit alpha-1 isoform a
NCBI Official Synonym Full Names	ATPase, Na+/K+ transporting, alpha 1 polypeptide
NCBI Official Symbol	ATP1A1
NCBI Protein Information	sodium/potassium-transporting ATPase subunit alpha-1; sodium pump 1; Na+/K+ ATPase 1; Na,K-ATPase alpha-1 subunit; sodium pump subunit alpha-1; Na+, K+ ATPase alpha subunit; Na(+)/K(+) ATPase alpha-1 subunit; Na, K-ATPase, alpha-A catalytic polypeptide; s
UniProt Protein Name	Sodium/potassium-transporting ATPase subunit alpha-1
UniProt Gene Name	ATP1A1
UniProt Synonym Gene Names	Na(+)/K(+) ATPase alpha-1 subunit
UniProt Entry Name	AT1A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.