

SLC16A1 recombinant antibody

SLC16A1 Antibody

CATALOG # AAA243982	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

SLC16A1; Monoclonal Recombinant Antibody; SLC16A1 Antibody; Monocarboxylate transporter 1 (MCT 1) (Solute carrier family 16 member 1); MCT1; SLC16A1 recombinant antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	9D12
Purity/Purification	Affinity-chromatography
Form/Format	Liquid. Rabbit IgG in phosphate buffered saline, PH7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Applicable Applications for SLC16A1 recombinant antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Antibody Type	Recombinant Antibody
Conjugation	Non-conjugated
Immunogen	A synthesized peptide derived from human Monocarboxylic acid transporter 1
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human colon cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.



IHC (Immunohistochemistry)

IHC image diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit IgG polymer labeled by HRP and visualized using 0.05% DAB.



WB (Western Blot)

Western BlotPositive WB detected in: Hela whole cell lysate, HepG2 whole cell lysate, Jurkat whole cell lysate, 293T whole cell lysate, K562 whole cell lysateAll lanes: MCT1 antibody at 1:1000SecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 54, 47 kDaObserved band size: 54 kDa

ADDITIONAL INFORMATION

Related Product Information for SLC16A1 recombinant antibody	Proton-coupled monocarboxylate transporter. Catalyzes the rapid transport across the plasma membrane of many monocarboxylates such as lactate, pyruvate, branched-chain oxo acids derived from leucine, valine and isoleucine, and the ketone bodies acetoacetate, beta-hydroxybutyrate and acetate. Depending on the tissue and on circumstances, mediates the import or export of lactic acid and ketone bodies. Required for normal nutrient assimilation, increase of white adipose tissue and body weight gain when on a high-fat diet. Plays a role in cellular responses to a high-fat diet by modulating the cellular levels of lactate and pyruvate, small molecules that contribute to the regulation of central metabolic pathways and insulin secretion, with concomitant effects on plasma insulin levels and blood glucose homeostasis.
Product Categories/Family for SLC16A1 recombinant antibody	Cancer; Metabolism; Signal transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	262073007
NCBI GeneID	6566
NCBI Accession #	NP_001159968.1
NCBI GenBank Nucleotide #	NM_001166496.1
UniProt Accession #	P53985; Q5T8R6; Q9NSJ9
Molecular Weight	54kDa
NCBI Official Full Name	monocarboxylate transporter 1
NCBI Official Synonym Full Names	solute carrier family 16 (monocarboxylate transporter), member 1
NCBI Official Symbol	SLC16A1
NCBI Official Synonym Symbols	MCT; HHF7; MCT1
NCBI Protein Information	monocarboxylate transporter 1; MCT 1; solute carrier family 16 member 1; solute carrier family 16 (monocarboxylic acid transporters), member 1; solute carrier family 16, member 1 (monocarboxylic acid transporter 1)
UniProt Protein Name	Monocarboxylate transporter 1
UniProt Gene Name	SLC16A1
UniProt Synonym Gene Names	MCT1; MCT 1
UniProt Entry Name	MOT1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.