

## Human oxyntomodulin (OXM) ELISA Kit | OXM elisa kit

Human oxyntomodulin (OXM) ELISA Kit

CATALOG #  
**AAA245501**

REACTIVITY  
**Human**


### PRODUCT SYNONYMS

oxyntomodulin (OXM); Human oxyntomodulin (OXM) ELISA Kit; OXM elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                            |
|-------------------------|----------------------------------------------------------------------------|
| Reactivity              | Human                                                                      |
| Samples                 | Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate |
| Assay Type              | Competitive                                                                |
| Detection Range         | 25-500ng/mL                                                                |
| Sensitivity             | 1.0ng/mL                                                                   |
| Preparation and Storage | Store all reagents at 2-8 degree C.                                        |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

#### Related Product Information for OXM elisa kit

**Intended Uses:** This OXM ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Human OXM. This ELISA kit for research use only!

**Principle of the Assay:** OXM ELISA kit applies the competitive enzyme immunoassay technique utilizing a monoclonal anti-OXM antibody and an OXM-HRP conjugate. The assay sample and buffer are incubated together with OXM-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the OXM concentration since OXM from samples and OXM-HRP conjugate compete for the anti-OXM antibody binding site. Since the number of sites is limited, as more sites are occupied by OXM from the sample, fewer sites are left to bind OXM-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The OXM concentration in each sample is interpolated from this standard curve.

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/oxyntomodulin-oxm/245501>