

Chicken major acute phase protein (MAP) ELISA Kit | ITIH4 elisa kit

Chicken major acute phase protein (MAP) ELISA Kit

CATALOG #
AAA246702

REACTIVITY
Chicken


PRODUCT SYNONYMS

major acute phase protein (MAP); Chicken major acute phase protein (MAP) ELISA Kit; ITIH4 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Chicken
Samples	Serum, Plasma, Cell Culture Supernatants, Body Fluid And Tissue Homogenate
Assay Type	Quantitative Competitive
Sensitivity	0.1 ng/mL.
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ITIH4 elisa kit

Intended Uses: This MAOA ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of CanineMAOA. This ELISA kit for research use only!

Principle of the Assay: MAOA ELISA kit applies the competitive enzyme immunoassay technique utilizing a polyclonal anti-MAOA antibody and an MAOA-HRP conjugate. The assay sample and buffer are incubated together with MAOA-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the MAOA concentration since MAOA from samples and MAOA-HRP conjugate compete for the anti-MAOA antibody binding site. Since the number of sites is limited, as more sites are occupied by MAOA from the sample, fewer sites are left to bind MAOA-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The MAOA concentration in each sample is interpolated from this standard curve.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/itih4-chicken-elisa-kits/major-acute-phase-protein-map/246702>