

Monkey D-Aspartic Acid ELISA Kit | D-Asp elisa kit

Monkey D-Aspartic Acid ELISA Kit

CATALOG #
AAA247485

REACTIVITY
Monkey


PRODUCT SYNONYMS

D-Aspartic Acid; Monkey D-Aspartic Acid ELISA Kit; D-Asp elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Monkey
Specificity	This assay has high sensitivity and excellent specificity for detection of DAA. No significant cross-reactivity or interference between DAA and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between DAA and all the analogues, therefore, cross reaction may still exist in some cases.
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Assay Type	Quantitative Competitive
Sensitivity	1.0 ng/mL
Preparation and Storage	Store at 2-8 degree C. The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for D-Asp elisa kit	Intended Uses: This DAA ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Monkey DAA. This ELISA kit for research use only, not for therapeutic or test applications! Principle of the Assay: DAA ELISA kit applies the competitive enzyme immunoassay technique utilizing an anti-DAA antibody and an DAA-HRP conjugate. The assay sample and buffer are incubated together with DAA-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the DAA concentration since DAA from samples and DAA-HRP conjugate compete for the anti-DAA antibody binding site. Since the number of sites is limited, as more sites are occupied by DAA from the sample, fewer sites are left to bind DAA-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The DAA concentration in each sample is interpolated from this standard curve.
Product Categories/Family for D-Asp elisa kit	Neuroscience; Signal Transduction; Metabolism

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/d-asp-monkey-elisa-kits/d-aspartic-acid/247485>