

Canine Circulating histone 3 ELISA Kit

Canine Anti-Circulating histone 3 ELISA Kit

CATALOG # AAA247843	REACTIVITY Canine	APPLICATIONS ELISA
-------------------------------	-----------------------------	------------------------------


PRODUCT SYNONYMS

Circulating histone 3; Canine Anti-Circulating histone 3 ELISA Kit; anti-CitH3; Circulating histone 3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Canine
Specificity	This assay has high sensitivity and excellent specificity for detection of H3Cit-Ab. No significant cross-reactivity or interference between H3Cit-Ab and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between H3Cit-Ab and all the analogues, therefore, cross reaction may still exist in some cases.
Assay Type	Quantitative Competitive
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Sensitivity	1.0 ng/mL
Applicable Applications for Circulating histone 3 elisa kit	ELISA
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Circulating histone 3 elisa kit	Principle of the Assay: H3Cit-Ab ELISA kit applies the competitive enzyme immunoassay technique utilizing a H3Cit antigen and an H3Cit-Ab-HRP conjugate. The assay sample and buffer are incubated together with H3Cit-Ab-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the H3Cit-Ab concentration since H3Cit-Ab from samples and H3Cit-Ab-HRP conjugate compete for the H3Cit antigen binding site. Since the number of sites is limited, as more sites are occupied by H3Cit-Ab from the sample, fewer sites are left to bind H3Cit-Ab-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The H3Cit-Ab concentration in each sample is interpolated from this standard curve. Intended Uses: This H3Cit-Ab ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Canine H3Cit-Ab. This ELISA kit for research use only, not for therapeutic or test applications!
--	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/canine-elisa-kits/circulating-histone-3/247843>