

Rat Fads1 (Fatty acid desaturase 1) ELISA Kit | Fads1 elisa kit

Rat Fads1 (Fatty acid desaturase 1) ELISA Kit

CATALOG #
AAA248887

REACTIVITY
Rat

PRODUCT SYNONYMS

Fads1 (Fatty acid desaturase 1); Rat Fads1 (Fatty acid desaturase 1) ELISA Kit; Fads1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Fads1. No significant cross-reactivity or interference between Fads1 and analogues was observed.
Sequence Length	501
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.156-10ng/ml
Sensitivity	0.094ng/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Fads1 were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Fads1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard run of a Fads1 ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A=not applicable)

X	ng/ml	0	0.156	0.312	0.625	1.25	2.5	5	10
Y	OD450	0.074	0.189	0.301	0.426	0.664	1.096	1.606	1.819

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Fads1 elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-Fads1 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-Fads1 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Fads1 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of Fads1 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	214831730
NCBI GeneID	3992
NCBI Accession #	NP_037534.3
NCBI GenBank Nucleotide #	NM_013402.4
UniProt Accession #	O60427; Q53GM5; Q8N3A6; Q8NCC7; Q8NCG0; Q96I39; Q96SV3; Q96T10; Q9NRP8; Q9NYX1; A8K0I7; B2RAI0
Molecular Weight	42,474 Da
NCBI Official Full Name	fatty acid desaturase 1
NCBI Official Synonym Full Names	fatty acid desaturase 1
NCBI Official Symbol	FADS1
NCBI Official Synonym Symbols	D5D; TU12; FADS6; FADSD5; LLCDL1
NCBI Protein Information	fatty acid desaturase 1
UniProt Protein Name	Fatty acid desaturase 1
UniProt Gene Name	FADS1
UniProt Synonym Gene Names	FADSD5; D5D; Delta(5) desaturase; Delta-5 desaturase

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/fads1-fatty-acid-desaturase-1/248887>