

Rabbit CD79A Monoclonal Antibody | anti-CD79A antibody

Recombinant Anti-CD79A Antibody, Rabbit Monoclonal

CATALOG # AAA254139	HOST Rabbit	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	---


PRODUCT SYNONYMS

CD79A; Monoclonal Antibody; Recombinant Anti-CD79A Antibody; Rabbit Monoclonal; CD79A/Ig-alpha Antibody; Rabbit MAb; CD79a molecule; immunoglobulin-associated alpha; Anti-IGA Antibody; Anti-MB-1 Antibody; anti-CD79A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	001
Specificity	Human, Cynomolgus
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-CD79A antibody	IHC (Immunohistochemistry)
Immunogen	A synthetic peptide corresponding to the C-terminus of the human CD79a
Preparation	This antibody was obtained from a rabbit immunized with a synthetic peptide corresponding to the C-terminus of the human CD79a.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemistry)
Immunochemical staining CD79a in human tonsil with rabbit monoclonal antibody (1:20000, formalin-fixed paraffin embedded sections).




IHC (Immunohistochemistry)
Immunochemical staining CD79a in cynomolgus lymph node with rabbit monoclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.




IHC (Immunohistochemistry)

Immunochemical staining CD79a in cynomolgus spleen with rabbit monoclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining CD79a in human appendix with rabbit monoclonal antibody (1:20000, formalin-fixed paraffin embedded sections).



IHC (Immunohistochemistry)

Immunochemical staining CD79a in human spleen with rabbit monoclonal antibody (1:20000, formalin-fixed paraffin embedded sections).

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502685
NCBI GeneID	973
NCBI Accession #	NP_001774.1
NCBI GenBank Nucleotide #	NM_001783.3
UniProt Accession #	P11912; Q53FB8; A0N775
NCBI Official Full Name	B-cell antigen receptor complex-associated protein alpha chain isoform 1
NCBI Official Synonym Full Names	CD79a molecule, immunoglobulin-associated alpha
NCBI Official Symbol	CD79A
NCBI Official Synonym Symbols	IGA; MB-1
NCBI Protein Information	B-cell antigen receptor complex-associated protein alpha chain; ig-alpha; MB-1 membrane glycoprotein; surface IgM-associated protein; CD79a antigen (immunoglobulin-associated alpha); membrane-bound immunoglobulin-associated protein
UniProt Protein Name	B-cell antigen receptor complex-associated protein alpha chain
UniProt Gene Name	CD79A
UniProt Synonym Gene Names	IGA; MB1
UniProt Entry Name	CD79A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

