

Rabbit anti-Human Cytokeratin 19/KRT19 Polyclonal Antibody | anti-KRT19 antibody

Anti-Cytokeratin 19/KRT19 Antibody, Rabbit Polyclonal


CATALOG # AAA254184	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS

Cytokeratin 19/KRT19; Polyclonal Antibody; Anti-Cytokeratin 19/KRT19 Antibody; Rabbit Polyclonal; KRT19 Antibody; Rabbit PAb; Antigen Affinity Purified; keratin 19; type I; Anti-CK19 Antibody; Anti-K19 Antibody; Anti-K1CS Antibody; anti-KRT19 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human KRT19
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-KRT19 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the N-terminus of the human KRT19
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with A synthetic peptide corresponding to the N-terminus of the human KRT19, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.




WB (Western Blot)

Anti-KRT19 rabbit polyclonal antibody at 1:500 dilutionLane A: HepG2 Whole Cell LysateLysates/proteins at 30 ug per lane.SecondaryGoat Anti-Rabbit IgG H&L (Dylight800) at 1/10000 dilution.Developed using the Odyssey technique.Performed under reducing conditions.Predicted band size:40 kDaObserved band size:40 kDa



IHC (Immunohistochemistry)

Immunochemical staining of human KRT19 in human hepatoma with rabbit polyclonal antibody at 1:15000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human KRT19 in human thyroid cancer with rabbit polyclonal antibody at 1:15000 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-KRT19 antibody	Cytokeratin 19 (KRT19) is a cytoplasmic intermediate filament protein, which is responsible for structural rigidity and multipurpose scaffolds. In several cancers, KRT19 is overexpressed and may play a crucial role in tumorigenic transformation. The KRT19 gene encodes cytokeratin 19, an element of the cytoskeleton whose expression is frequently altered in renal cell carcinoma (RCC).KRT19 was identified as one of the key biomarkers for distinguishing cholangiocarcinoma (CCA) and hepatocellular carcinoma. Expression of KRT19 was specifically high in breast cancers and significantly correlated with their invasiveness. Moreover, knockdown of KRT19 led to increased proliferation, migration, invasion, drug resistance, and sphere formation in breast cancer cells via an upregulated NOTCH signaling pathway.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	24234699
NCBI GeneID	3880
NCBI Accession #	NP_002267.2
NCBI GenBank Nucleotide #	NM_002276.4
UniProt Accession #	P08727; Q5XG83; Q6NW33; Q7L5M9; Q96A53; Q96FV1; Q9BYF9; Q9P1Y4; B2R874
Molecular Weight	44,106 Da
NCBI Official Full Name	keratin, type I cytoskeletal 19

NCBI Official Synonym Full Names	keratin 19
NCBI Official Symbol	KRT19
NCBI Official Synonym Symbols	K19; CK19; K1CS
NCBI Protein Information	keratin, type I cytoskeletal 19; CK-19; keratin-19; cytokeratin 19; cytokeratin-19; keratin, type I, 40-kd; 40-kDa keratin intermediate filament
UniProt Protein Name	Keratin, type I cytoskeletal 19
UniProt Gene Name	KRT19
UniProt Synonym Gene Names	CK-19; K19
UniProt Entry Name	K1C19_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cytokeratin-19-krt19-antibody-immunohistochemistry-western-blot-elisa/254184>