

Rabbit anti-Human CCR1 Polyclonal Antibody | anti-CCR1 antibody

Anti-CCR1 Antibody, Rabbit Polyclonal

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA254238	Rabbit	Human	Immunoprecipitation, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

CCR1; Polyclonal Antibody; Anti-CCR1 Antibody; Rabbit Polyclonal; CCR1/CD191 Antibody; Rabbit PAb; Antigen Affinity Purified; chemokine (C-C motif) receptor 1; Anti-CD191 Antibody; Anti-CCR-1 Antibody; Anti-CCR1 Antibody; Anti-CMKBR1 Antibody; Anti-HM145 Antibody; Anti-MIP1aR Antibody; Anti-SCYAR1 Antibody; anti-CCR1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human CCR1/CD191
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-CCR1 antibody	IP (Immunoprecipitation), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the N-terminus of the human CCR1/CD191
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with A synthetic peptide corresponding to the N-terminus of the human CCR1/CD191, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.

IMAGES



WB (Western Blot)

Anti-CCR1/CD191 rabbit polyclonal antibody at 1:500 dilution Lane A: HEK-293 Whole Cell Lysate Lane B: 293T Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG H&L (Dylight800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 43 kDa Observed band size: 43 kDa



IP (Immunoprecipitation)

CCR1/CD191 was immunoprecipitated using: Lane A: 0.5 mg 293T Whole Cell Lysate 2 uL anti-CCR1/CD191 rabbit polyclonal antibody and 15 ul of 50 % Protein G agarose. Primary antibody: Anti-CCR1/CD191 rabbit polyclonal antibody, at 1:200 dilution Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution Developed using the odssey technique. Performed under reducing conditions. Predicted band size: 43 kDa Observed band size: 43 kDa



IHC (Immunohistochemistry)

Immunochemical staining of human CCR1/CD191 in human spleen with rabbit polyclonal antibody (1:2000, formalin-fixed paraffin embedded sections).

ADDITIONAL INFORMATION

Product Categories/Family for anti-CCR1 antibody	AKT Signaling Pathway
--	-----------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502631
NCBI GeneID	1230
NCBI Accession #	NP_001286.1
NCBI GenBank Nucleotide #	NM_001295.2
UniProt Accession #	P32246; Q86VA9
Molecular Weight	41,173 Da
NCBI Official Full Name	C-C chemokine receptor type 1
NCBI Official Synonym Full Names	C-C motif chemokine receptor 1
NCBI Official Symbol	CCR1
NCBI Official Synonym Symbols	CKR1; CD191; CKR-1; HM145; CMKBR1; MIP1aR; SCYAR1
NCBI Protein Information	C-C chemokine receptor type 1
UniProt Protein Name	C-C chemokine receptor type 1
UniProt Gene Name	CCR1
UniProt Synonym Gene Names	CMKBR1; CMKR1; SCYAR1; C-C CKR-1; CC-CKR-1; CCR-1; CCR1; MIP-1alpha-R

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ccr1-antibody-immunoprecipitation-immunohistochemistry-western-blot-elisa/254238>