

Rabbit anti-Human Adenosine Deaminase Polyclonal Antibody | anti-ADA antibody

Anti-Adenosine Deaminase Antibody, Rabbit Polyclonal



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA254361	Rabbit	Human	Immunoprecipitation, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Adenosine Deaminase; Polyclonal Antibody; Anti-Adenosine Deaminase Antibody; Rabbit Polyclonal; Adenosine Deaminase/ADA Antibody; Rabbit PAb; Antigen Affinity Purified; adenosine deaminase; Anti-ADA Antibody; Anti-ADA1 Antibody; anti-ADA antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human Adenosine Deaminase/ADA
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-ADA antibody	IP (Immunoprecipitation), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the C-terminus of the Human Adenosine Deaminase/ADA
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the C-terminus of the Human Adenosine Deaminase/ADA, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.




IHC (Immunohistochemisry)
Immunochemical staining of human ADA in human duodenum with rabbit polyclonal antibody at 1:2000 dilution, formalin-fixed paraffin embedded sections.

IP (Immunoprecipitation)
LIN7A was immunoprecipitated using: Lane A: 0.5 mg mouse brain tissue lysate 4 uL anti-LIN7A rabbit polyclonal antibody and 60 ug of Immunomagnetic beads Protein A/G. Primary antibody: Anti-LIN7A rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 26 kDa. Observed band size: 28 kDa.



IHC (Immunohiostchemistry)
Immunochemical staining of human ADA in human brain with rabbit polyclonal antibody at 1:2000 dilution, formalin-fixed paraffin embedded sections.



WB (Western Blot)
Anti-ADA rabbit polyclonal antibody at 1:500 dilution. Lane A: Jurkat Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 41 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-ADA antibody	Adenosine Desaminase (ADA) deficiency, is a purine metabolic disorder that cause severe combined immunodeficiency (SCID) due to the accumulation of toxic metabolites that primarily affects development, differentiation and function of T and B lymphocytes. Adenosine deaminase is a polymorphic enzyme that has an important role in immune functions and in the regulation of intracellular and extracellular concentrations of adenosine and adenosine receptor activity. ADA activity might be considered as a useful tool among the other markers in these diseases. Genetic variability of ADA activity may have, therefore, an important role in resistance to malaria. Adenosine Deaminase (ADA) deficiency is an autosomal recessive variant of severe combined immunodeficiency (SCID) caused by systemic accumulation of ADA substrates.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	47078295
NCBI GeneID	100
NCBI Accession #	NP_000013.2
NCBI GenBank Nucleotide #	NM_000022.2
UniProt Accession #	P00813; Q53F92; Q6LA59

Molecular Weight	40,764 Da
NCBI Official Full Name	adenosine deaminase
NCBI Official Synonym Full Names	adenosine deaminase
NCBI Official Symbol	ADA
NCBI Protein Information	adenosine deaminase; adenosine aminohydrolase
UniProt Protein Name	Adenosine deaminase
UniProt Gene Name	ADA
UniProt Synonym Gene Names	ADA1
UniProt Entry Name	ADA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/adenosine-deaminase-antibody-immunoprecipitation-immunohistochemistry-western-blot-elisa/254361>