

Rabbit anti-Human beta-III Tubulin/TUBB3 Polyclonal Antibody | anti-TUBB3 antibody

Anti-beta-III Tubulin/TUBB3 Antibody, Rabbit Polyclonal


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA254533	Rabbit	Human	Immunoprecipitation, Immunofluorescence, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS

beta-III Tubulin/TUBB3; Polyclonal Antibody; Anti-beta-III Tubulin/TUBB3 Antibody; Rabbit Polyclonal; TUBB3/beta III Tubulin Antibody; Rabbit PAb; Antigen Affinity Purified; tubulin; beta 3 class III; Anti-beta-4 Antibody; Anti-CDCBM Antibody; Anti-CDCBM1 Antibody; Anti-CFEOM3 Antibody; Anti-CFEOM3A Antibody; Anti-FEOM3 Antibody; Anti-TUBB4 Antibody; anti-TUBB3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human TUBB3/beta III Tubulin
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-TUBB3 antibody	IP (Immunoprecipitation), IF (Immunofluorescence), ICC (Immunocytochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the C-terminus of the Human TUBB3/beta III Tubulin
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the C-terminus of the Human TUBB3/beta III Tubulin, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.




IP (Immunoprecipitation)

TUBB3 was immunoprecipitated using: Lane A: 0.5 mg A549 Whole Cell Lysate; Lane B: 0.5 mg HepG2 Whole Cell Lysate. 2 uL anti-TUBB3 rabbit polyclonal antibody and 60 ug of Immunomagnetic beads Protein G. Primary antibody: Anti-TUBB3 rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Clean-Blot IP Detection Reagent (HRP) at 1:500 dilution. Developed using the DAB staining technique. Performed under reducing conditions. Predicted band size: 50 kDa. Observed band size: 50 kDa.



IF (Immunofluorescence)

Immunofluorescence staining of TUBB3 in HESS9 cells. Cells were fixed with 4% PFA, permeabilized with 0.3% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-human TUBB3 polyclonal antibody (1:1000) at 4 degree C overnight. Then cells were stained with the Alexa Fluor488-conjugated Goat Anti-rabbit IgG secondary antibody (green). Positive staining was localized to cytoplasm.



WB (Western Blot)

Anti-TUBB3 rabbit polyclonal antibody at 1:500 dilution. Lane A: A549 Whole Cell Lysate; Lane B: HepG2 Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary: Goat Anti-Rabbit IgG H&L (Dylight800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 50 kDa. Observed band size: 55 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-TUBB3 antibody

The overexpression of TUBB3 could be related to reduced efficiency of taxane-based targeting anticancer drugs in several cancer types. TUBB3 serves as an independent prognostic marker and may be a valuable biomarker for routine application in esophageal adenocarcinoma especially to address the need for adjuvant treatment in individuals following neoadjuvant therapy and surgery. TUBB3 is of clinical relevance as overexpression has been linked to poor response to microtubule-targeting anti-cancer drugs such as taxanes. Mutations in TUBB3 have been associated with complex cortical dysplasia and other brain malformations and congenital fibrosis of extraocular muscles type 3A (CFEOM3A). The direct silencing of TUBB3 reverses induced multiple cross-resistance, reduces drug-resistant tumor mass, and suppresses the impaired microtubule stability status of PTX-resistant cells with transient cross-resistance.

NCBI AND UNIPROT INFORMATION

NCBI GI #	308235963
NCBI GeneID	10381
NCBI Accession #	NP_001184110.1

NCBI GenBank Nucleotide #	NM_001197181.1
UniProt Accession #	Q13509; Q9BTZ0; Q9BW10
Molecular Weight	50,433 Da
NCBI Official Full Name	tubulin beta-3 chain isoform 2
NCBI Official Synonym Full Names	tubulin, beta 3 class III
NCBI Official Symbol	TUBB3
NCBI Official Synonym Symbols	CDCBM; TUBB4; beta-4; CFEOM3A
NCBI Protein Information	tubulin beta-3 chain; tubulin beta-III; tubulin beta-4 chain; class III beta-tubulin
UniProt Protein Name	Tubulin beta-3 chain
UniProt Gene Name	TUBB3
UniProt Synonym Gene Names	TUBB4
UniProt Entry Name	TBB3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/beta-iii-tubulin-tubb3-antibody-immunoprecipitation-immunofluorescence-immunocytochemistry-western-blot-elisa/254533>