

Rabbit CD16a Polyclonal Antibody | anti-FCGR3A antibody

Anti-CD16a Antibody, Rabbit Polyclonal

CATALOG # AAA254890	HOST Rabbit	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	--


PRODUCT SYNONYMS

CD16a; Polyclonal Antibody; Anti-CD16a Antibody; Rabbit Polyclonal; CD16a/Fc gamma RIIIIa Antibody; Rabbit PAb; Antigen Affinity Purified; Fc fragment of IgG; low affinity IIIa; receptor (CD16a); Anti-CD16 Antibody; Anti-CD16A Antibody; Anti-Fc gamma RIIIIa Antibody; Anti-FCG3 Antibody; Anti-FCGR3 Antibody; Anti-FCGRIII Antibody; Anti-FCR-10 Antibody; Anti-FCRIII Antibody; Anti-FCRIIIA Antibody; Anti-IGFR3 Antibody; Anti-IMD20 Antibody; anti-FCGR3A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human, Cynomolgus
Form/Format	0.2 um filtered solution in PBS
Applicable Applications for anti-FCGR3A antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human CD16a/Fc gamma RIIIIa Protein (Please inquire)
Preparation	Produced in rabbits immunized with purified, recombinant Human CD16a/Fc gamma RIIIIa (rh CD16a/Fc gamma RIIIIa (please inquire)). CD16a/Fc gamma RIIIIa specific IgG was purified by Human CD16a/Fc gamma RIIIIa affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.


IMAGES


IHC (Immunohistochemistry)

Immunochemical staining CD16a in cynomolgus liver with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining CD16a in cynomolgus spleen with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining CD16a in human spleen with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining CD16a in human liver with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Product Categories/Family for anti-FCGR3A antibody	Fc Receptors Cancer Drug Targets ITIM/ITAM Immunoreceptors and Related Molecules
References	David Dornan, et al. Effect of FCGR2A and FCGR3A variants on CLL outcome. Blood. 2010 116: 4212-4222

NCBI AND UNIPROT INFORMATION

NCBI GI #	119876
NCBI GeneID	2214
UniProt Accession #	P08637; Q53FJ0; Q53FL6; Q5EBR4; Q65ZM6; Q6PIJ0; A2N6W9
NCBI Official Full Name	Low affinity immunoglobulin gamma Fc region receptor III-A
NCBI Official Synonym Full Names	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)
NCBI Official Symbol	FCGR3A
NCBI Official Synonym Symbols	CD16; FCG3; CD16A; FCGR3; IGFR3; IMD20; FCR-10; FCRIII; FCGRIII; FCRIIIA
NCBI Protein Information	low affinity immunoglobulin gamma Fc region receptor III-A; FcgammaRIIIA; CD16a antigen; fc-gamma RIII; Fc-gamma RIIIa; Fc-gamma RIII-alpha; igG Fc receptor III-2; Fc gamma receptor III-A; Fc-gamma receptor IIIb (CD16); neutrophil-specific antigen NA; Fc-
UniProt Protein Name	Low affinity immunoglobulin gamma Fc region receptor III-A
UniProt Gene Name	FCGR3A
UniProt Synonym Gene Names	CD16A; FCG3; FCGR3; IGFR3; Fc-gamma RIII; Fc-gamma RIIIa; FcRIII; FcRIIIa
UniProt Entry Name	FCG3A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cd16a-antibody-immunohistochemistry-elisa/254890>