

Rabbit anti-Human CD36 Monoclonal Antibody | anti-CD36 antibody

Recombinant Anti-CD36 Antibody, Rabbit Monoclonal

CATALOG # AAA255141	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CD36; Monoclonal Antibody; Recombinant Anti-CD36 Antibody; Rabbit Monoclonal; CD36 Antibody; Rabbit MAb; CD36 molecule (thrombospondin receptor); Anti-BDPLT10 Antibody; Anti-CHDS7 Antibody; Anti-FAT Antibody; Anti-GP3B Antibody; Anti-GP4 Antibody; Anti-GPIV Antibody; Anti-PASIV Antibody; Anti-SCARB3 Antibody; anti-CD36 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	349
Specificity	Human CD36
Purity/Purification	Protein A
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-CD36 antibody	IHC (Immunohistochemistry)
Antibody Type	Recombinant Antibody
Immunogen	Recombinant Human CD36 Protein
Conjugation	Unconjugated
Preparation	This antibody was obtained from a rabbit immunized with purified, recombinant Human CD36 (rh CD36).
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
Immunochemical staining of human CD36 in human placenta with rabbit monoclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohiostchemistry)
Immunochemical staining of human CD36 in human stomach with rabbit monoclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)
Immunochemical staining of human CD36 in human liver with rabbit monoclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-CD36 antibody	The cluster of differentiation (CD) system is commonly used as cell markers in Immunophenotyping. Different kinds of cells in the immune system can be identified through the surface CD molecules associating with the immune function of the cell. There are more than 320 CD unique clusters and subclusters have been identified. Some of the CD molecules serve as receptors or ligands important to the cell through initiating a signal cascade which then alter the behavior of the cell. Some CD proteins do not take part in cell signal process but have other functions such as cell adhesion. Cluster of differentiation 36 (CD36), also known as FAT, SCARB3, GP88, glycoprotein IV (gpIV) and glycoprotein IIIb (gpIIIb), is a member of the CD system as well as the class B scavenger receptor family of cell surface proteins. CD36 can be found on the surface of many cell types in vertebrate animals and it consists of 472 amino acids and is extensively glycosylated. It is an integral membrane protein primarily serving as receptors for thrombospondin and collagen and by the erythrocytes infected with the human malaria parasite. The role of CD36 as a cell surface receptor has been extended to that of a signal transduction molecule.
Product Categories/Family for anti-CD36 antibody	Cancer Drug Targets
References	Zola H, et al. (2007) CD molecules 2006-human cell differentiation molecules. J Immunol Methods. 318 (1-2): 1-5.Ho IC, et al. (2009) GATA3 and the T-cell lineage: essential functions before and after T-helper-2-cell differentiation. Nat Rev Immunol. 9 (2): 125-35.Matesanz-Isabel J, et al. (2011) New B-cell CD molecules. Immunology Letters.134 (2): 104-12.Greenwalt RH, et al. (1992) Membrane glycoprotein in CD36: a review of its roles in adherence, signal transduction, and transfusion medicine. The journal of the American society of hematology. 80 (5): 1105-15.

NCBI AND UNIPROT INFORMATION

NCBI GI #	48375176
NCBI GeneID	948

NCBI Accession #	NP_001001547.1
NCBI GenBank Nucleotide #	NM_001001547.2
UniProt Accession #	P16671 ; Q13966 ; Q16093 ; Q8TCV7 ; Q9BPZ8 ; Q9BQC2 ; Q9BZM8 ; Q9BZN3 ; D9IX66 ; D9IX67 ; D9IX68 ; D9IX69
Molecular Weight	46,090 Da
NCBI Official Full Name	platelet glycoprotein 4 isoform 1
NCBI Official Synonym Full Names	CD36 molecule
NCBI Official Symbol	CD36
NCBI Official Synonym Symbols	FAT; GP4; GP3B; GPIV; CHDS7; PASIV; SCARB3; BDPLT10
NCBI Protein Information	platelet glycoprotein 4
UniProt Protein Name	Platelet glycoprotein 4
UniProt Gene Name	CD36
UniProt Synonym Gene Names	GP3B; GP4; FAT; GPIIIB; GPIV
UniProt Entry Name	CD36_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd36-antibody-clone-349-immunohistochemistry-elisa/255141>