

Rabbit anti-Human ETHE1 Polyclonal Antibody | anti-ETHE1 antibody

Anti-ETHE1 Antibody, Rabbit Polyclonal

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA255787	Rabbit	Human	Immunoprecipitation, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

ETHE1; Polyclonal Antibody; Anti-ETHE1 Antibody; Rabbit Polyclonal; ETHE1/HSCO Antibody; Rabbit PAb; Antigen Affinity Purified; ethylmalonic encephalopathy 1; Anti-HSCO Antibody; Anti-YF13H12 Antibody; anti-ETHE1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human ETHE1/HSCO
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-ETHE1 antibody	IP (Immunoprecipitation), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Immunogen	Recombinant Human ETHE1/HSCO protein
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with purified, recombinant Human ETHE1/HSCO (rh ETHE1/HSCO). ETHE1/HSCO specific IgG was purified by Human ETHE1/HSCO affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.

IMAGES



WB (Western Blot)

Anti-ETHE1 rabbit polyclonal antibody at 1:500 dilution Lane A: HepG2 Whole Cell Lysate Lane B: HCT116 Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG H&L (Dylight 800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 28 kDa Observed band size: 25 kDa (We are unsure as to the identity of these extra bands).




IP (Immunoprecipitation)


ETHE1 was immunoprecipitated using: Lane A: 0.5 mg Hela Whole Cell Lysate Lane B: 0.5 mg HepG2 Whole Cell Lysate Lane C: 0.5 mg Jurkat Whole Cell Lysate 2 uL anti-ETHE1 rabbit polyclonal antibody and 15 uL of 50 % Protein G agarose. Primary antibody: Anti-ETHE1 rabbit polyclonal antibody, at 1:100 dilution Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 28 kDa Observed band size: 28 kDa

**IHC (Immunohistochemisry)**

Immunochemical staining of human ETHE1 in human pancreas with rabbit polyclonal antibody (1:10000, formalin-fixed paraffin embedded sections).

**IHC (Immunohiostchemistry)**

Immunochemical staining of human ETHE1 in human colon carcinoma with rabbit polyclonal antibody (1:10000, formalin-fixed paraffin embedded sections).

**IHC (Immunohistochemistry)**

Immunochemical staining of human ETHE1 in human appendix with rabbit polyclonal antibody (1:10000, formalin-fixed paraffin embedded sections).

ADDITIONAL INFORMATION

Related Product Information for anti-ETHE1 antibody	ETHE1, also known as HSCO, is a sulfur dioxygenase that localizes within the mitochondrial matrix. ETHE1 probably plays an important role in metabolic homeostasis in mitochondria. It may also function as a nuclear-cytoplasmic shuttling protein that binds transcription factor RELA/NFKB3 in the nucleus and exports it to the cytoplasm. ETHE1 can suppresses p53-induced apoptosis by preventing nuclear localization of RELA. Mutations in ETHE1 gene result in ethylmalonic encephalopathy. Ethylmalonic encephalopathy is an autosomal recessive, invariably fatal disorder characterized by early-onset encephalopathy, microangiopathy, chronic diarrhea, defective cytochrome c oxidase (COX) in muscle and brain, high concentrations of C4 and C5 acylcarnitines in blood and high excretion of ethylmalonic acid in urine.
References	Higashitsuji. et al., 2002, Cancer Cell. 2 (4): 335-46. McCoy JG. et al., 2007, Acta Crystallogr D Biol Crystallogr. 62 (9): 964-70. Mehrle A. et al., 2006, Nucleic Acids Res. 34: D415-8.

NCBI AND UNIPROT INFORMATION

NCBI GI #	41327741
NCBI GeneID	23474
NCBI Accession #	NP_055112.2
NCBI GenBank Nucleotide #	NM_014297.3
UniProt Accession #	O95571 ; Q96HR0 ; Q9H001
Molecular Weight	27,873 Da
NCBI Official Full Name	persulfide dioxygenase ETHE1, mitochondrial
NCBI Official Synonym Full Names	ethylmalonic encephalopathy 1
NCBI Official Symbol	ETHE1
NCBI Official Synonym Symbols	HSCO; YF13H12
NCBI Protein Information	persulfide dioxygenase ETHE1, mitochondrial; ethylmalonic encephalopathy protein 1; hepatoma subtracted clone one protein; protein ETHE1, mitochondrial; sulfur dioxygenase ETHE1
UniProt Protein Name	Persulfide dioxygenase ETHE1, mitochondrial
UniProt Gene Name	ETHE1
UniProt Synonym Gene Names	HSCO
UniProt Entry Name	ETHE1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ethe1-antibody-immunoprecipitation-immunohistochemistry-western-blot-elisa/255787>