

Rabbit anti-Human UBE2T Polyclonal Antibody | anti-UBE2T antibody

Anti-UBE2T Antibody, Rabbit Polyclonal

CATALOG # AAA256039	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

UBE2T; Polyclonal Antibody; Anti-UBE2T Antibody; Rabbit Polyclonal; UBE2T Antibody; Rabbit PAb; Antigen Affinity Purified; ubiquitin-conjugating enzyme E2T; Anti-FANCT Antibody; Anti-HSPC150 Antibody; Anti-PIG50 Antibody; anti-UBE2T antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human UBE2T
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-UBE2T antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	E Coli-derived Human UBE2T fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human UBE2T fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IP (Immunoprecipitation)

UBE2T was immunoprecipitated using: Lane A: 0.5 mg HeLa Whole Cell Lysate, 4 uL anti-UBE2T rabbit polyclonal antibody and 60 ug of Immnomagnetic beads Protein A/G. Primary antibody: Anti-UBE2T rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 23 kDa. Observed band size: 23 kDa.



WB (Western Blot)

Anti-UBE2T rabbit polyclonal antibody at 1:500 dilution. Lane A: HeLa Whole Cell Lysate, Lane B: Jurkat Whole Cell Lysate, Lane C: 293T Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 23 kDa. Observed band size: 23 kDa. (We are unsure as to the identity of these extra bands.)

ADDITIONAL INFORMATION

Related Product Information for anti-UBE2T antibody	Ube2T is the E2 ubiquitin-conjugating enzyme of the Fanconi anemia DNA repair pathway and it is overexpressed in several cancers, representing an attractive target for the development of inhibitors. Notably, UBE2T locates at 1q32.1, and the gain of 1q is frequently observed in a variety of cancers. For instance, UBE2T serves an important role in the growth of bladder cancer cells, and may be considered as a potential biomarker and therapeutic target for bladder cancer.
---	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ube2t-antibody-immunoprecipitation-western-blot-elisa/256039>