

Rabbit anti-Human HEXIM1 Polyclonal Antibody | anti-HEXIM1 antibody

Anti-HEXIM1 Antibody, Rabbit Polyclonal

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA256157	Rabbit	Human	Immunofluorescence, Immunocytochemistry, Immunohistochemistry



PRODUCT SYNONYMS

HEXIM1; Polyclonal Antibody; Anti-HEXIM1 Antibody; Rabbit Polyclonal; HEXIM1 Antibody; Rabbit PAb; Antigen Affinity Purified; hexamethylene bis-acetamide inducible 1; Anti-CLP1 Antibody; Anti-EDG1 Antibody; Anti-HIS1 Antibody; Anti-MAQ1 Antibody; anti-HEXIM1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human HEXIM1
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-HEXIM1 antibody	IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human HEXIM1 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human HEXIM1 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescence staining of HEXIM1 in U2OS cells. Cells were fixed with 4% PFA, permeabilized with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human HEXIM1 polyclonal antibody (dilution ratio 1:200) at 4 degree C overnight. Then cells were stained with the Alexa Fluor488-conjugated Goat Anti-rabbit IgG secondary antibody (green). Positive staining was localized to Nucleus.

IHC (Immunohistochemistry)

Immunochemical staining of human HEXIM1 in human placenta with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Product Categories/Family for anti-
HEXIM1 antibody

Cardiac Stem Cell Markers

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/hexim1-antibody-immunofluorescence-immunocytochemistry-immunohistochemistry-elisa/256157>