

Rabbit anti-Human CR1/CD35 Polyclonal Antibody | anti-CR1 antibody

Anti-CR1/CD35 Antibody, Rabbit Polyclonal

CATALOG # AAA256316	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CR1/CD35; Polyclonal Antibody; Anti-CR1/CD35 Antibody; Rabbit Polyclonal; CR1 Antibody; Rabbit PAb; Antigen Affinity Purified; complement component 3b/4b receptor 1 (Knops blood group); Anti-C3BR Antibody; Anti-C4BR Antibody; Anti-CD35 Antibody; Anti-KN Antibody; Anti-RP11-57I17.1 Antibody; anti-CR1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human CR1
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-CR1 antibody	IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human CR1 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human CR1 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunochemical staining of human CR1 in human spleen with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human CR1 in human tonsil with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-CR1 antibody	Complement receptor type 1 (CR1) is a multi-modular membrane receptor composed of 30 homologous complement control protein modules (CCP) organized in four different functional regions called long homologous repeats (LHR A, B, C, and D). CR1 is a receptor for complement-opsonins C3b and C4b and specifically interacts through pairs of CCP modules located in LHR A, B, and C. Human CR1 plays a role in the clearance of complement opsonized molecules and may facilitate the entry of pathogens into host cells. Lower CR1 expression has been associated with susceptibility to systemic lupus erythematosus (SLE). In contrast, subjects displaying lower CR1 expression are protected against severe manifestations of falciparum malaria. The CR1 gene was shown to be involved in Alzheimer's disease (AD).
References	Sandri TL, et al. (2018) Human complement receptor type 1 (cr1) protein levels and genetic variants in chronic chagas disease. Sci Rep 8 (1): 526.Panda AK, et al. (2016) Cr1 exon variants are associated with lowered cr1 expression and increased susceptibility to sle in a plasmodium falciparum endemic population. Lupus Sci Med 3 (1): e000145.Mahmoudi R, et al. (2018) Inherited and acquired decrease in complement receptor 1 (cr1) density on red blood cells associated with high levels of soluble cr1 in alzheimer's disease. Int J Mol Sci 19 (8): 2175.Jacquet M, et al. (2018) C1q and mannose-binding lectin interact with cr1 in the same region on ccp24-25 modules. Front Immunol 9 453.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cr1-cd35-antibody-immunohistochemistry-elisa/256316>