

Rabbit anti-Human GABPB2 Polyclonal Antibody | anti-GABPB2 antibody

Anti-GABPB2 Antibody, Rabbit Polyclonal

CATALOG # AAA256911	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS

GABPB2; Polyclonal Antibody; Anti-GABPB2 Antibody; Rabbit Polyclonal; GABPB2 Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-RP11-68118.1 Antibody; anti-GABPB2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human GABPB2
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-GABPB2 antibody	IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human GABPB2 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human GABPB2 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunochemical staining of human GABPB2 in human kidney with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human GABPB2 in human liver with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-GABPB2 antibody	GABPB2 (GA Binding Protein Transcription Factor Subunit Beta 2, also known as GABPB-2 or MGC29891) is located on human chromosome 1q21.3. The GABPB2 gene is conserved in chimpanzee, Rhesus monkey, dog, cow, mouse, rat, and zebrafish. GABPB2 has protein homodimerization activity and transcription regulatory region DNA binding. GABPB2 may function as a transcription factor capable of interacting with purine rich repeats (GA repeats). An important paralog of this gene is GABPB1.
--	--

References

Sawa C, et al. (2002) Yeaf1/rybp and yaf-2 are functionally distinct members of a cofactor family for the yy1 and e4tf1/hgabp transcription factors. J Biol Chem 277 (25): 22484-22490.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/gabpb2-antibody-immunohistochemistry-elisa/256911>