

PD-L1 Recombinant Protein | CD274 recombinant protein

PD-L1 Protein, Mouse, Recombinant (ECD, hFc Tag)

CATALOG #
AAA257463



HOST
HEK293 Cells

PRODUCT SYNONYMS

PD-L1; PD-L1 Protein; Mouse; Recombinant (ECD; hFc Tag); Mouse PD-L1/B7-H1/CD274 Protein (ECD; Fc Tag); CD274 molecule; A530045L16Rik Protein; B7h1 Protein; Pcdcl1l Protein; Pcdcl1g1 Protein; Pdl1 Protein; CD274 recombinant protein

PRODUCT SPECIFICATIONS

Host	HEK293 Cells
Purity/Purification	>95 % as determined by SDS-PAGE
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Sequence Positions	459aa
Sequence	Met1-His23 9
Species	Mouse
Tag	hFc
Endotoxin	<1.0EU per ug protein as determined by the LAL method
Predicted N Terminal	Phe19
Protein Construction	JA DNA sequence encoding the mouse Cd274 (NP_068693.1) (Met1-His239) was expressed with the Fc region of human IgG1 at the C-terminus
Activity	1. Measured by its binding ability in a functional ELISA. 2. Immobilized human PD1-His (Cat:10377-H08H) at 10ug/mL (100uL/well) can bind mouse CD274-Fc (Cat:50010-M02H). The EC50 of mouse CD274-Fc is 0.1-0.6ug/mL.
Preparation and Storage	Samples are stable for up to twelve months from date of receipt at -20 degree C to -80 degree C. Store it under sterile conditions at -20 degree C to -80 degree C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. Shipping: They are shipped out with blue ice pack



Application Data

Application Data
Measured by its binding ability in a functional ELISA. Immobilized human PD1-His (Cat: 10377-H08H) at 10 ug/mL (100 uL/well) can bind mouse CD274-Fc (Cat: 50010-M02H), the EC50 of mouse CD274-Fc is 0.1-0.6ug/mL.

ADDITIONAL INFORMATION

Related Product Information for CD274 recombinant protein	Programmed death-1 ligand-1 (PD-L1, CD274, B7-H1) has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance. PD-L1/B7-H1 is a member of the growing B7 family of immune molecules and this protein contains one V-like and one C-like Ig domain within the extracellular domain, and together with PD-L2, are two ligands for PD1 which belongs to the CD28/CTLA4 family expressed on activated lymphoid cells. By binding to PD1 on activated T-cells and B-cells, PD-L1 may inhibit ongoing T-cell responses by inducing apoptosis and arresting cell-cycle progression. Accordingly, it leads to growth of immunogenic tumor growth by increasing apoptosis of antigen specific T cells and may contribute to immune evasion by cancers. PD-L1 thus is regarded as promising therapeutic target for human autoimmune disease and malignant cancers.
Product Categories/Family for CD274 recombinant protein	Cancer Drug Targets
References	Iwai Y, et al. (2002) Involvement of PD-L1 on tumor cells in the escape from host immune system and tumor immunotherapy by PD-L1 blockade. Proc Natl Acad Sci U S A. 99(19): 12293-7. Ghebeh H, et al. (2006) The B7-H1 (PD-L1) T lymphocyte-inhibitory molecule is expressed in breast cancer patients with infiltrating ductal carcinoma: correlation with important high-risk prognostic factors. Neoplasia. 8(3): 190-8. Salih HR, et al. (2006) The role of leukemia-derived B7-H1 (PD-L1) in tumor-T-cell interactions in humans. Exp Hematol. 34(7): 888-94. Wilcox RA, et al. (2009) B7-H1 (PD-L1, CD274) suppresses host immunity in T-cell lymphoproliferative disorders. Blood. 114(10): 2149-58. Ruggiero A, et al. (2009) Crystal structure of PD-L1, a ribosome inactivating protein from Phytolacca dioica L. leaves with the property to induce DNA cleavage. Biopolymers. 91(12): 1135-42.

NCBI AND UNIPROT INFORMATION

NCBI GI #	11230798
NCBI GeneID	60533
NCBI Accession #	NP_068693.1
NCBI GenBank Nucleotide #	NM_021893.3
UniProt Accession #	Q9EP73
NCBI Official Full Name	programmed cell death 1 ligand 1
NCBI Official Synonym Full Names	CD274 antigen
NCBI Official Symbol	Cd274
NCBI Official Synonym Symbols	B7h1; Pdl1; Pdcd1l1; Pdcd1lg1; A530045L16Rik
NCBI Protein Information	programmed cell death 1 ligand 1; B7 homolog 1; PDCD1 ligand 1; programmed death ligand 1

UniProt Protein Name	Programmed cell death 1 ligand 1
UniProt Gene Name	Cd274
UniProt Synonym Gene Names	B7h1; Pdc1l1; Pdc1lg1; Pdl1; PD-L1; PDCD1 ligand 1; Programmed death ligand 1; B7-H1
UniProt Entry Name	PD1L1_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/cd274-recombinant-protein-hek293-cells/257463>