

Rabbit anti-Human PALMD Polyclonal Antibody | anti-PALMD antibody

Anti-PALMD Antibody, Rabbit Polyclonal

CATALOG # AAA257621	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

PALMD; Polyclonal Antibody; Anti-PALMD Antibody; Rabbit Polyclonal; PALMD Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-C1orf11 Antibody; anti-PALMD antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human PALMD
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid. PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-PALMD antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	E Coli-derived Human PALMD fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human PALMD fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles. This antibody is shipped as liquid solution at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

IMAGES




IHC (Immunohistochemistry)

Immunochemical staining of human PALMD in human breast with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human PALMD in human adrenal gland with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



WB (Western Blot)

Anti-PALMD rabbit polyclonal antibody at 1:500 dilution
 Lane A: Jurkat Whole Cell Lysate
 Lane B: MCF7 Whole Cell Lysate
 Lysates/proteins at 30 ug per lane.
 Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution.
 Developed using the ECL technique.
 Performed under reducing conditions.
 Predicted band size: 63 kDa
 Observed band size: 63 kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/palmd-antibody-immunohistochemistry-western-blot-elisa/257621>