

Rabbit anti-Human PRPF4 Polyclonal Antibody | anti-PRPF4 antibody

Anti-PRPF4 Antibody, Rabbit Polyclonal


CATALOG # AAA257657	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

PRPF4; Polyclonal Antibody; Anti-PRPF4 Antibody; Rabbit Polyclonal; PRPF4 Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-HPRP4 Antibody; Anti-HPRP4P Antibody; Anti-PRP4 Antibody; Anti-Prp4p Antibody; Anti-RP70 Antibody; Anti-SNRNP60 Antibody; pre-mRNA processing factor 4; anti-PRPF4 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human PRPF4
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid. PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-PRPF4 antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	E Coli-derived Human PRPF4 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human PRPF4 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles. This antibody is shipped as liquid solution at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.



IP (Immunoprecipitation)

PRPF4 was immunoprecipitated using: Lane A: 0.5 mg 293 Whole Cell Lysate, 4 μ L anti-PRPF4 rabbit polyclonal antibody and 60 μ g of Immomagnetic beads Protein A/G. Primary antibody: Anti-PRPF4 rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Clean-Blot IP Detection Reagent (HRP) at 1:1000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 58 kDa. Observed band size: 58 kDa.



WB (Western Blot)

Anti-PRPF4 rabbit polyclonal antibody at 1:500 dilution. Lane A: Raji Whole Cell Lysate. Lane B: HepG2 Whole Cell Lysate. Lane C: 293 Whole Cell Lysate. Lane D: HeLa Whole Cell Lysate. Lysates/proteins at 30 μ g per lane. Secondary: Goat Anti-Rabbit IgG (H+L)/HRP at 1:10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 58 kDa. Observed band size: 58 kDa.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.