

Rabbit anti-Human RGS7 Polyclonal Antibody | anti-RGS7 antibody

Anti-RGS7 Antibody, Rabbit Polyclonal

CATALOG # AAA257755	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

RGS7; Polyclonal Antibody; Anti-RGS7 Antibody; Rabbit Polyclonal; RGS7 Antibody; Rabbit PAb; Antigen Affinity Purified; regulator of G-protein signaling 7; anti-RGS7 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human RGS7
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid. PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-RGS7 antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	E Coli-derived Human RGS7 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human RGS7 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles. This antibody is shipped as liquid solution at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.

IMAGES



IP (Immunoprecipitation)

RGS7 was immunoprecipitated using: Lane A: 0.5 mg Rat brain Whole Cell Lysate 4 uL anti-RGS7 rabbit polyclonal antibody and 60 ug of Immunomagnetic beads Protein A/G. Primary antibody: Anti-RGS7 rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Clean-Blot IP Detection Reagent (HRP) at 1:1000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 58 kDa. Observed band size: 58 kDa.



WB (Western Blot)

Anti-RGS7 rabbit polyclonal antibody at 1:500 dilution. Lane A: U-87 MG Whole Cell Lysate. Lane B: Rat brain tissue lysate. Lysates/proteins at 30 ug per lane. Secondary: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 58 kDa.

ADDITIONAL INFORMATION

Product Categories/Family for anti-RGS7 antibody	G Protein-coupled Receptors Signaling
--	---------------------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/rgs7-antibody-immunoprecipitation-western-blot-elisa/257755>