

Ephrin-A1 Active Protein | EFNA1 active protein

Ephrin-A1 Protein, Human, Recombinant (His Tag)

CATALOG #
AAA257945


HOST
HEK293 Cells

PRODUCT SYNONYMS

Ephrin-A1; Ephrin-A1 Protein; Human; Recombinant (His Tag); Human Ephrin-A1/EFNA1 Protein (His Tag); B61 Protein; ECKLG Protein; EFL1 Protein; EFNA1 Protein; EPLG1 Protein; LERK-1 Protein; LERK1 Protein; TNFAIP4 Protein; ephrin-A1; EFNA1 active protein

PRODUCT SPECIFICATIONS

Host	HEK293 Cells
Purity/Purification	>97% as determined by SDS-PAGE
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
Sequence	Met1-Ser18 2
Species	Human
Endotoxin	<1.0EU per ug of the protein as determined by the LAL method
Predicted N Terminal	Asp 19
Tag	C-His
Protein Construction	A DNA sequence encoding the human Ephrin-A1 (NP_004419.2) without the propeptide (Met 1-Ser182) was expressed, fused with a polyhistidine tag at the C-terminus.
Reconstitution	A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.
Activity	Measured by its binding ability in a functional ELISA. Immobilized Human Ephrin-A1 His at 2ug/ml (100uL/well) can bind Human EphA1 hFc. The EC50 of Human EphA1 hFc is 8.0-48.0ng/mL.
Preparation and Storage	Samples are stable for up to twelve months from date of receipt at -20 degree C to -80 degree C. Store it under sterile conditions at -20 degree C to -80 degree C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice.



SDS-PAGE

Application Data
Measured by its binding ability in a functional ELISA. Immobilized Human Ephrin-A1 His at 2 ug/ml (100 ul/well) can bind Human EphA1 hFc, the EC50 of Human EphA1 hFc is 8.0-48.0 ng/mL.

ADDITIONAL INFORMATION

Related Product Information for EFNA1 active protein	Background: EPH-related receptor tyrosine kinase ligand 1 (abbreviated as Ephrin-A1) also known as ligand of eph-related kinase 1 or EFNA1, is a member of the ephrin (EPH) family. The Eph family receptor interacting proteins (ephrins) are a family of proteins that serve as the ligands of the Eph receptor, which compose the largest known subfamily of receptor protein-tyrosine kinases (RTKs). Ephrin-A1/EFNA1 and its Eph family of receptor tyrosine kinases are expressed by cells of the SVZ. Ephrin subclasses are further distinguished by their mode of attachment to the plasma membrane: ephrin-A ligands bind EphA receptors and are anchored to the plasma membrane via a glycosylphosphatidylinositol (GPI) linkage, whereas ephrin-B ligands bind EphB receptors and are anchored via a transmembrane domain. An exception is the EphA4 receptor, which binds both subclasses of ephrins. Ephrin-A1 and one of its receptor EphA2 were expressed in xenograft endothelial cells and also tumor cells and play a role in human cancers, at least in part by influencing tumor neovascularization.
References	Deroanne C, et al. (2003) EphrinA1 inactivates integrin-mediated vascular smooth muscle cell spreading via the Rac/PAK pathway. J Cell Sci. 116(7): 1367-76.Ojima T, et al. (2006) EphrinA1 inhibits vascular endothelial growth factor-induced intracellular signaling and suppresses retinal neovascularization and blood-retinal barrier breakdown. Am J Pathol. 168(1): 331-9.Wu D, et al. (2004) Prognostic value of EphA2 and EphrinA-1 in squamous cell cervical carcinoma. Gynecol Oncol. 94(2): 312-9.

NCBI AND UNIPROT INFORMATION

NCBI GI #	33359682
NCBI GeneID	1942
NCBI Accession #	NP_004419.2
NCBI GenBank Nucleotide #	NM_004428.2
UniProt Accession #	P20827; Q5SR60; Q5SR61; Q6I9T9; Q8N578; D3DV86
Molecular Weight	23,787 Da
NCBI Official Full Name	ephrin-A1 isoform a
NCBI Official Synonym Full Names	ephrin-A1
NCBI Official Symbol	EFNA1
NCBI Official Synonym Symbols	B61; EFL1; ECKLG; EPLG1; LERK1; LERK-1; TNFAIP4
NCBI Protein Information	ephrin-A1; TNF alpha-induced protein 4; ligand of eph-related kinase 1; immediate early response protein B61; eph-related receptor tyrosine kinase ligand 1; tumor necrosis factor alpha-induced protein 4; tumor necrosis factor, alpha-induced protein 4
UniProt Protein Name	Ephrin-A1

UniProt Gene Name	EFNA1
UniProt Synonym Gene Names	EPLG1; LERK1; TNFAIP4; LERK-1
UniProt Entry Name	EFNA1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/hek293-cells-efna1-active-protein/ephrin-a1/257945>