

IGFBP7 recombinant protein

IGFBP7 Protein, Human, Recombinant (His Tag)

CATALOG #
AAA258014


HOST
HEK293 Cells

PRODUCT SYNONYMS

IGFBP7; IGFBP7 Protein; Human; Recombinant (His Tag); Human IGFBP7/IBP-7 Protein (His Tag); AGM Protein; FSTL2 Protein; IBP-7 Protein; IGFBP-7 Protein; IGFBP-7v Protein; IGFBPRP1 Protein; MAC25 Protein; PSF Protein; RAMSVPS Protein; TAF Protein; insulin-like growth factor binding protein 7; IGFBP7 recombinant protein

PRODUCT SPECIFICATIONS

Host	HEK293 Cells
Purity/Purification	>92% as determined by SDS-PAGE
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
Sequence	Met1-Leu28 2
Species	Human
Endotoxin	<1.0EU per ug of the protein as determined by the LAL method
Predicted N Terminal	Ser 27
Tag	C-His
Protein Construction	A DNA sequence encoding the human IGFBP7 (Q16270)(Met 1-Leu 282) was fused with a polyhistidine tag at the C-terminus.
Reconstitution	A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.
Preparation and Storage	Samples are stable for up to twelve months from date of receipt at -20 degree C to -80 degree C. Store it under sterile conditions at -20 degree C to -80 degree C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice.



SDS-PAGE

Application Data
Measured by its binding ability in a functional ELISA. Immobilized IGFBP7 at 20 ug/ml (100 ul/well) can bind biotinylated human IGF2-nusa. The EC50 of biotinylated human IGF2-nusa is 0.57 ug/ml.

ADDITIONAL INFORMATION

Related Product Information for IGFBP7 recombinant protein	Background: Insulin-like growth factor-binding protein 7 (IGFBP7) is a member of the IGFBP family. It has been identified in colorectal adenocarcinoma (CRC) cell lines. The Insulin-like growth factor-binding protein also known as IGFBP serves as a carrier protein for Insulin-like growth factor 1. IGFBPs are distinct but are sharing regions with strong homology. All members of the IGFBP family bind IGF-I and IGF-II with about equal affinity. Insulin-like growth factor (IGF) binding proteins (IGFBPs) have been shown to either inhibit or enhance the action of IGF or act in an IGF-independent manner in the prostate. IGFBP7 could inhibit cell growth, decrease soft agar colony formation activity, and induce apoptosis in RKO and SW620 cells. There is mounting evidence that the structure of the IGFBP proteins plays a key role in the regulation of IGF bioavailability, by modulating its molecular size, capillary membrane permeability, target tissue specificity, cell membrane adherence, and IGF affinity.
References	Oh Y, et al. (1996) Synthesis and characterization of insulin-like growth factor-binding protein (IGFBP)-7. Recombinant human mac25 protein specifically binds IGF-I and -II. J Biol Chem. 271(48): 30322-5. Wilson EM, et al. (1997) Generation and characterization of an IGFBP-7 antibody: identification of 31kD IGFBP-7 in human biological fluids and Hs578T human breast cancer conditioned media. J Clin Endocrinol Metab. 82(4): 1301-3. Lin J, et al. (2007) Methylation patterns of IGFBP7 in colon cancer cell lines are associated with levels of gene expression. J Pathol. 212(1): 83-90.

NCBI AND UNIPROT INFORMATION

NCBI GI #	23396609
NCBI GeneID	3490
UniProt Accession #	Q16270; Q07822; Q53YE6; Q9UCA8; B4E1N2; B7Z9W7
Molecular Weight	282
NCBI Official Full Name	Insulin-like growth factor-binding protein 7
NCBI Official Synonym Full Names	insulin-like growth factor binding protein 7
NCBI Official Symbol	IGFBP7
NCBI Official Synonym Symbols	AGM; PSF; TAF; FSTL2; IBP-7; MAC25; IGFBP-7; RAMSVPS; IGFBP-7v; IGFBPRP1
NCBI Protein Information	insulin-like growth factor-binding protein 7; IGFBP-rP1; angiomodulin; IGF-binding protein 7; PG12-stimulating factor; tumor-derived adhesion factor; prostacyclin-stimulating factor
UniProt Protein Name	Insulin-like growth factor-binding protein 7
UniProt Gene Name	IGFBP7
UniProt Synonym Gene Names	MAC25; PSF; IBP-7; IGF-binding protein 7; IGFBP-7; TAF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/igfbp7-recombinant-protein-hek293-cells/258014>