

EphB4 active protein

EphB4 Protein, Mouse, Recombinant (hFc Tag)

CATALOG #
AAA258173


HOST
HEK293 Cells

PRODUCT SYNONYMS

EphB4; EphB4 Protein; Mouse; Recombinant (hFc Tag); Mouse EphB4/HTK Protein (Fc Tag); AI042935 Protein; Htk Protein; MDK2 Protein; Myk1 Protein; Tyro11 Protein; EPH receptor B4; EphB4 active protein

PRODUCT SPECIFICATIONS

Host	HEK293 Cells
Purity/Purification	>97% as determined by SDS-PAGE
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
Sequence	Met1-Ala53 9
Species	Mouse
Endotoxin	<1.0EU per ug of the protein as determined by the LAL method
Predicted N Terminal	Leu 16
Tag	C-human IgG1-Fc
Protein Construction	A DNA sequence encoding the mouse EPHB4 (P54761-1) extracellular domain (Met 1-Ala 539) was fused with the Fc region of human IgG1 at the C-terminus.
Reconstitution	A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.
Activity	Measured by its binding ability in a functional ELISA. Immobilized Mouse Ephrin B2 His at 2ug/ml (100uL/well) can bind Mouse EphB4 hFc. The EC50 of Mouse EphB4 hFc is 2.0-10.0ng/mL.
Preparation and Storage	Samples are stable for up to twelve months from date of receipt at -20 degree C to -80 degree C. Store it under sterile conditions at -20 degree C to -80 degree C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice.



SDS-PAGE

Application Data
Measured by its binding ability in a functional ELISA. Immobilized Mouse Ephrin B2 His at 2 ug/ml (100 ul/well) can bind Mouse EphB4 hFc, the EC50 of Mouse EphB4 hFc is 2.0-10.0 ng/mL.

ADDITIONAL INFORMATION

Related Product Information for EphB4 active protein	Background: Ephrin type-B receptor 4 is a protein that in humans is encoded by the EPHB4 gene. It is a single-pass type I membrane protein belonging to the ephrin receptor subfamily of protein kinase superfamily. Members of the ephrin and Eph family are local mediators of cell function through largely contact-dependent processes in development and in maturity. Furthermore, EphB4 protein and the corresponding ligand Ephrin-B2 contribute to tumor growth in various human tumors. EphB4 protein has tumor suppressor activities and that regulation of cell proliferation, extracellular matrix remodeling, and invasive potential are important mechanisms of tumor suppression. Therefore, Ephrin-B2/EphB4 may be recognized as a novel prognostic indicator for cancers.
Product Categories/Family for EphB4 active protein	Actin Dynamics Signaling Pathway
References	Davalos V, et al. (2006) EPHB4 and survival of colorectal cancer patients. Cancer Res. 66(18): 8943-8.Zhao C, et al. (2006) Bidirectional ephrinB2-EphB4 signaling controls bone homeostasis. Cell Metab. 4(2): 111-21.Kertesz N, et al. (2006) The soluble extracellular domain of EphB4 (sEphB4) antagonizes EphB4-EphrinB2 interaction, modulates angiogenesis, and inhibits tumor growth. Blood. 107(6): 2330-8.Noren NK, et al. (2007) Paradoxes of the EphB4 receptor in cancer. Cancer Res. 67(9): 3994-7.Taylor AC, et al. (2007) EphB4 expression along adult rat microvascular networks: EphB4 is more than a venous specific marker. Microcirculation. 14(3): 253-67.

NCBI AND UNIPROT INFORMATION

NCBI GI #	227330573
NCBI GeneID	13846
NCBI Accession #	NP_034274.4
NCBI GenBank Nucleotide #	NM_010144.6
UniProt Accession #	P54761; Q60627; Q99MR2
Molecular Weight	108,848 Da
NCBI Official Full Name	ephrin type-B receptor 4 isoform b
NCBI Official Synonym Full Names	Eph receptor B4
NCBI Official Symbol	Ephb4
NCBI Official Synonym Symbols	Htk; MDK2; Myk1; Tyro11; AI042935; b2b2412Clo
NCBI Protein Information	ephrin type-B receptor 4
UniProt Protein Name	Ephrin type-B receptor 4

UniProt Gene Name	Ephb4
UniProt Synonym Gene Names	Htk; Mdk2; Myk1; mDK-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/hek293-cells-active-protein/ephb4/258173>