

CD47 active protein

CD47 Protein, Mouse, Recombinant (His Tag)

CATALOG #
AAA258243

HOST
HEK293 Cells


PRODUCT SYNONYMS

CD47; CD47 Protein; Mouse; Recombinant (His Tag); Mouse CD47 Protein (His Tag); 9130415E20Rik Protein; AA407862 Protein; A1848868 Protein; AW108519 Protein; B430305P08Rik Protein; IAP Protein; Itgp Protein; CD47 molecule; CD47 active protein

PRODUCT SPECIFICATIONS

Host	HEK293 Cells
Purity/Purification	>90% as determined by SDS-PAGE
Form/Format	Lyophilized from sterile PBS, pH7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
Sequence	Met1-Lys140
Species	Mouse
Endotoxin	<1.0EU per ug protein as determined by the LAL method.
Predicted N Terminal	Gln 19
Tag	C-His
Protein Construction	A DNA sequence encoding the mouse CD47 (Q61735-1)(Met1-Lys140) was expressed with a polyhistidine tag at the C-terminus.
Reconstitution	A hardcopy of COA with reconstitution instruction is sent along with the products. Please refer to it for detailed information.
Activity	1.Measured by its ability to bind mouse SIRPA-Fc in functional ELISA.2.Measured by its binding ability in a functional ELISA. 3.Immobilized mouse CD47-His at 10ug/mL (100uL/well) can bind mouse SIRPA-Fc. The EC50 of mouse SIRPA-Fc is 0.07-0.3ug/mL.
Preparation and Storage	Samples are stable for up to twelve months from date of receipt at -20 degree C to -80 degree C. Store it under sterile conditions at -20 degree C to -80 degree C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles. In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice.

IMAGES



SDS-PAGE

Application Data
Measured by its binding ability in a functional ELISA. Immobilized mouse CD47-His at 10ug/mL (100uL/well) can bind mouse SIRPA-Fc, the EC50 of mouse SIRPA-Fc is 0.07-0.3 ug/mL.

ADDITIONAL INFORMATION

Related Product Information for CD47 active protein	Background: CD47 contains 1 Ig-like V-type (immunoglobulin-like) domain and is a receptor for the C-terminal cell binding domain of thrombospondin. It may play a role in membrane transport and signal transduction. CD47 is also a membrane protein, which is involved in the increase in intracellular calcium concentration that occurs upon cell adhesion to extracellular matrix. It is very broadly distributed on normal adult tissues, as well as ovarian tumors, being especially abundant in some epithelia and the brain. CD47 may play a role in membrane transport and/or integrin dependent signal transduction. It may prevent premature elimination of red blood cells. It also may be involved in membrane permeability changes induced following virus infection. By acting as an adhesion receptor for THBS1 on platelets, CD47 plays a role in both cell adhesion and in the modulation of integrins. It also plays an important role in memory formation and synaptic plasticity in the hippocampus.
Product Categories/Family for CD47 active protein	Cancer Drug Targets
References	Brown EJ, et al. (2001) Integrin-associated protein (CD47) and its ligands. Trends Cell Biol. 11(3): 130-5.Oldenborg PA. (2004) Role of CD47 in erythroid cells and in autoimmunity. Leuk Lymphoma. 45(7): 1319-27.Kaczorowski DJ, et al. (2007) Targeting CD47: NO limit on therapeutic potential. Circ Res. 100(5): 602-3.

NCBI AND UNIPROT INFORMATION

NCBI GI #	6754382
NCBI GeneID	16423
NCBI Accession #	NP_034711.1
NCBI GenBank Nucleotide #	NM_010581.3
UniProt Accession #	Q61735; Q921Z2
Molecular Weight	33,098 Da
NCBI Official Full Name	leukocyte surface antigen CD47
NCBI Official Synonym Full Names	CD47 antigen (Rh-related antigen, integrin-associated signal transducer)
NCBI Official Symbol	Cd47
NCBI Official Synonym Symbols	IAP; Itgp; AA407862; AI848868; AW108519; 9130415E20Rik; B430305P08Rik
NCBI Protein Information	leukocyte surface antigen CD47; Rh-related antigen; integrin-associated protein
UniProt Protein Name	Leukocyte surface antigen CD47
UniProt Gene Name	Cd47

UniProt Synonym Gene Names	IAP
UniProt Entry Name	CD47_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/hek293-cells-active-protein/cd47/258243>