

Rabbit anti-Human EIF3E Polyclonal Antibody | anti-EIF3E antibody

Anti-EIF3E Antibody, Rabbit Polyclonal


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA259001	Rabbit	Human	Immunoprecipitation, Western Blot

PRODUCT SYNONYMS

EIF3E; Polyclonal Antibody; Anti-EIF3E Antibody; Rabbit Polyclonal; eukaryotic translation initiation factor 3; subunit E; Anti-eIF3-p46 Antibody; Anti-EIF3-P48 Antibody; Anti-EIF3S6 Antibody; Anti-INT6 Antibody; anti-EIF3E antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human EIF3E
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-EIF3E antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	E coli-derived Human EIF3E fragment
Preparation	Produced in rabbits immunized with E coli-derived Human EIF3E fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.



WB (Western Blot)

Anti-EIF3E rabbit polyclonal antibody at 1:500 dilutionLane A: U-251MG Whole Cell LysateLane B: Hela Whole Cell LysateLane C: Jurkat Whole Cell LysateLane D: A431 Whole Cell LysateLysates/proteins at 30 ug per lane.SecondaryGoat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution.Developed using the ECL technique.Performed under reducing conditions.Predicted band size:52 kDaObserved band size:52 kDa



IP (Immunoprecipitation)

EIF3E was immunoprecipitated using:Lane A:0.5 mg U-251 MG Whole Cell LysateLane B:0.5 mg HeLa Whole Cell LysateLane C:0.5 mg Jurkat Whole Cell LysateLane D:0.5 mg A431 Whole Cell Lysate4 uL anti-EIF3E rabbit polyclonal antibody and 60 ug of Immunomagnetic beads Protein A/G.Primary antibody:Anti-EIF3E rabbit polyclonal antibody,at 1:100 dilutionSecondary antibody:Clean-Blot IP Detection Reagent (HRP) at 1:1000dilutionDeveloped using the ECL technique.Performed under reducing conditions.Predicted band size: 52 kDaObserved band size :52 kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.