

Rabbit anti-Human Annexin A1/ANXA1 Polyclonal Antibody | anti-ANXA1 antibody

Anti-Annexin A1/ANXA1 Antibody, Rabbit Polyclonal

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA259036	Rabbit	Human	Immunoprecipitation, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Annexin A1/ANXA1; Polyclonal Antibody; Anti-Annexin A1/ANXA1 Antibody; Rabbit Polyclonal; annexin A1; Anti-ANX1 Antibody; Anti-LPC1 Antibody; anti-ANXA1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human Annexin A1/ANXA1
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-ANXA1 antibody	IP (Immunoprecipitation), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	E coli-derived Human Annexin A1/ANXA1 fragment
Preparation	Produced in rabbits immunized with E coli-derived Human Annexin A1/ANXA1 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES




IP (Immunoprecipitation)

ANXA1 was immunoprecipitated using: Lane A: 0.5 mg A431 Whole Cell Lysate Lane B: 0.5 mg H1299 Whole Cell Lysate 4 uL anti-ANXA1 rabbit polyclonal antibody and 60 ug of Immunomagnetic beads Protein A/G. Primary antibody: Anti-ANXA1 rabbit polyclonal antibody, at 1:100 dilution Secondary antibody: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 39 kDa Observed band size : 37 kDa




IHC (Immunohistochemistry)

Immunohistochemical staining of human ANXA1 in human prostate with rabbit polyclonal antibody at 1:10000 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human ANXA1 in human esophagus with rabbit polyclonal antibody at 1:10000 dilution, formalin-fixed paraffin embedded sections.



WB (Western Blot)

Anti-ANXA1 rabbit polyclonal antibody at 1:500 dilution Lane A: A431 Whole Cell Lysate Lane B: H1299 Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 39 kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/annexin-a1-anxa1-antibody-immunoprecipitation-immunohistochemistry-western-blot-elisa/259036>