

Rabbit anti-Human Ferredoxin Reductase Polyclonal Antibody | anti-FDXR antibody

Anti-Ferredoxin Reductase Antibody, Rabbit Polyclonal

CATALOG # AAA259494	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

Ferredoxin Reductase; Polyclonal Antibody; Anti-Ferredoxin Reductase Antibody; Rabbit Polyclonal; Ferredoxin Reductase Antibody; Rabbit PAb; Antigen Affinity Purified; ferredoxin reductase; Anti-ADR Antibody; Anti-ADXR Antibody; Anti-ANOA Antibody; Anti-AR Antibody; anti-FDXR antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human Ferredoxin Reductase
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-FDXR antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the C-terminus of the Human Ferredoxin Reductase
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the C-terminus of the Human Ferredoxin Reductase, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2 degree C-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles. This antibody is shipped as liquid solution at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.


IMAGES


IHC (Immunohistochemistry)

Immunochemical staining of human FDXR in human pancreas with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.


IHC (Immunohistochemistry)

Immunochemical staining of human FDXR in human adrenal gland with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



WB (Western Blot)

Anti-Ferredoxin Reductase rabbit polyclonal antibody at 1:500 dilution Lane A: K562 Whole Cell Lysate Lysates/proteins at 30ug per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 54 kDa Observed band size: 54 kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ferredoxin-reductase-antibody-immunohistochemistry-western-blot-elisa/259494>