

Rabbit SNAI1/2 Polyclonal Antibody | anti-SNAI1 antibody

Anti-SNAI1/2 (pS246) Phospho Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA260760	Rabbit	Human, Mouse, Monkey	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

SNAI1/2; Polyclonal Antibody; Anti-SNAI1/2 (pS246) Phospho Antibody; SNAH; Zinc finger protein SNAI1; Protein snail homolog 1; Protein sna; anti-SNAI1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Monkey
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of SNAI1/2 (pS246) protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium Phosphate, 0.87% Sodium Chloride, pH 7.3, 30% Glycerol, and 0.01% Sodium Azide.
Sequence Length	264
Applicable Applications for anti-SNAI1 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human SNAI1/2. The exact sequence is proprietary.
Preparation and Storage	Shipped and store at 4 degree C for one year. Do not freeze.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of SNAI1/2 (pS246) staining in MDA-MB-231 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of SNAI1/2 (pS246) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of SNAI1/2 (pS246) expression in MDA-MB-231 (A), HT29 (B) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-SNAI1 antibody

Rabbit polyclonal antibody to SNAI1/2 (pS246)

NCBI AND UNIPROT INFORMATION

NCBI GI #	12644089
NCBI GeneID	6615
UniProt Accession #	O95863; Q9P113; Q9UBP7; Q9UHH7; B2R842
Molecular Weight	29,083 Da
NCBI Official Full Name	Zinc finger protein SNAI1
NCBI Official Synonym Full Names	snail family zinc finger 1
NCBI Official Symbol	SNAI1
NCBI Official Synonym Symbols	SNA; SNAH; SNAIL; SLUGH2; SNAI1; dJ710H13.1
NCBI Protein Information	zinc finger protein SNAI1
UniProt Protein Name	Zinc finger protein SNAI1
UniProt Gene Name	SNAI1
UniProt Synonym Gene Names	SNAH; Protein sna
UniProt Entry Name	SNAI1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/snai1-2-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/260760>