

Rabbit HSPB2 Polyclonal Antibody | anti-HSPB2 antibody

Anti-HSPB2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA261051	Rabbit	Human, Mouse, Rat, Bovine	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

HSPB2; Polyclonal Antibody; Anti-HSPB2 Antibody; Heat shock protein beta-2; HspB2; DMPK-binding protein; MKBP; anti-HSPB2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of HSPB2 protein.
Purity/Purification	The antibody was purified by affinity chromatography.
Form/Format	Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% Sodium Azide.
Sequence Length	182
Applicable Applications for anti-HSPB2 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human HSPB2. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of HSPB2 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of HSPB2 staining in human renal cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of HSPB2 expression in HeLa (A), human heart (B) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-HSPB2 antibody	Rabbit polyclonal antibody to HSPB2
---	-------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	6016268
NCBI GeneID	3316
UniProt Accession #	Q16082; Q6I9U7
Molecular Weight	20,233 Da
NCBI Official Full Name	Heat shock protein beta-2
NCBI Official Synonym Full Names	heat shock protein family B (small) member 2
NCBI Official Symbol	HSPB2
NCBI Official Synonym Symbols	MKBP; HSP27; Hs.78846; LOH11CR1K
NCBI Protein Information	heat shock protein beta-2
UniProt Protein Name	Heat shock protein beta-2
UniProt Gene Name	HSPB2
UniProt Synonym Gene Names	HspB2; MKBP
UniProt Entry Name	HSPB2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/hspb2-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/261051>