

Human IL-1 beta ELISA Kit | IL1B elisa kit

Human IL-1 beta ELISA Kit

CATALOG # AAA261720	REACTIVITY Human	APPLICATIONS ELISA
-------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

IL-1 beta; Human IL-1 beta ELISA Kit; IL1F2; Interleukin-1 beta; Catabolin; IL1B elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	The Human IL-1 beta ELISA Kit allows for the detection and quantification of endogenous levels of natural and/or recombinant Human IL-1 beta proteins within the range of 7.8 pg/ml - 500 pg/ml.
Sequence Length	269
Samples	Cell Culture Supernatants, Serum, Plasma, Tissue Homogenates.
Sensitivity	2 pg/ml.
Applicable Applications for IL1B elisa kit	ELISA (Sandwich ELISA)
Preparation and Storage	Shipped and store at 4 degree C for 6 months, store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL1B elisa kit	Principle of the Assay The Human IL-1 beta ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of Human IL-1 beta in Cell Culture Supernatants, Serum, Plasma, Tissue Homogenates. This assay employs an antibody specific for Human IL-1 beta coated on a 96-well plate. Standards and samples are pipetted into the wells and IL-1 beta present in a sample is bound to the wells by the immobilized antibody. The wells are washed and biotinylated anti-Human IL-1 beta antibody is added. After washing away unbound biotinylated antibody, HRP-conjugated streptavidin is pipetted to the wells. The wells are again washed, a TMB substrate solution is added to the wells and color develops in proportion to the amount of IL-1 beta bound. The Stop Solution changes the color from blue to yellow, and the intensity of the color is measured at 450 nm. Background/Introduction: Interleukin-1beta (IL-1beta) is a potent stimulator of bone resorption whose gene is mapped to 2q14, and has been implicated in the pathogenesis of high bone turnover and osteoporosis. IL-1beta, a prominent microglia-derived cytokine, caused oligodendrocyte death in coculture with astrocytes and microglia, but not in pure culture of oligodendrocytes alone. It also can cause nuclear export of a specific NCOR corepressor complex, resulting in derepression of a specific subset of nuclear factor-kappa-B (NFkB)-regulated genes. Furthermore, Microenvironmental IL-1beta and, to a lesser extent, IL-1alpha are required for in vivo angiogenesis and invasiveness of different tumor cells. Additional, the cooperation of IL-1beta and PDGFB induces contractile-to-synthetic phenotype modulation of human aortic smooth muscle cells in culture. Moreover, the association with disease may be explained by the biologic properties of IL-1beta, which is an important proinflammatory cytokine and a powerful inhibitor of gastric acid secretion.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	62906858
NCBI GeneID	3553
UniProt Accession #	P01584; Q53X59; Q53XX2; Q7M4S7; Q7RU01; Q96HE5; Q9UCT6
Molecular Weight	30,748 Da
NCBI Official Full Name	Interleukin-1 beta
NCBI Official Synonym Full Names	interleukin 1 beta
NCBI Official Symbol	IL1B
NCBI Official Synonym Symbols	IL-1; IL1F2; IL1-BETA
NCBI Protein Information	interleukin-1 beta
UniProt Protein Name	Interleukin-1 beta
UniProt Gene Name	IL1B
UniProt Synonym Gene Names	IL1F2; IL-1 beta
UniProt Entry Name	IL1B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/il1b-human-elisa-kits/il-1-beta/261720>