

Swine IFN gamma ELISA Kit | IFNG elisa kit

Swine IFN gamma ELISA Kit

CATALOG # AAA261812	REACTIVITY Swine	APPLICATIONS ELISA
-------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

IFN gamma; Swine IFN gamma ELISA Kit; Interferon gamma; IFN-gamma; Immune interferon; IFNG elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Swine
Specificity	The Swine IFN gamma ELISA Kit allows for the detection and quantification of endogenous levels of natural and/or recombinant Swine IFN gamma proteins within the range of 15.6 pg/ml - 1000 pg/ml.
Sequence Length	166
Samples	Cell Culture Supernatants, Serum, Plasma, Tissue Homogenates.
Sensitivity	7 pg/ml.
Applicable Applications for IFNG elisa kit	ELISA (Sandwich ELISA)
Preparation and Storage	Shipped and store at 4 degree C for 6 months, store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IFNG elisa kit	Principle of the Assay The Swine IFN gamma ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of Swine IFN gamma in Cell Culture Supernatants, Serum, Plasma, Tissue Homogenates. This assay employs an antibody specific for Swine IFN gamma coated on a 96-well plate. Standards and samples are pipetted into the wells and IFN gamma present in a sample is bound to the wells by the immobilized antibody. The wells are washed and biotinylated anti-Swine IFN gamma antibody is added. After washing away unbound biotinylated antibody, HRP-conjugated streptavidin is pipetted to the wells. The wells are again washed, a TMB substrate solution is added to the wells and color develops in proportion to the amount of IFN gamma bound. The Stop Solution changes the color from blue to yellow, and the intensity of the color is measured at 450 nm. Background/Introduction: Interferon-gamma (IFN-gamma) is an inflammatory cytokine that has been implicated in the development of fibrosis in inflamed tissues. The production of IFN-gamma, which is under genetic control, can influence the development of fibrosis in lung allografts. IFN-gamma is also produced by natural killer (NK) cells and most prominently by CD8 cytotoxic T cells, and is vital for the control of microbial pathogens. Interferon gamma is believed to be crucial for host defence against many infections. Genetically determined variability in IFN-gamma and expression might be important for the development of tuberculosis. IFN-gamma activates human macrophage oxidative metabolism and antimicrobial activity. In addition to having antiviral activity, IFN-gamma has important immunoregulatory functions. IFN-gamma plays an important role in the control of neointima proliferation.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	56786138
NCBI GeneID	3458
NCBI Accession #	NP_000610.2
NCBI GenBank Nucleotide #	NM_000619.2
Molecular Weight	19,348 Da
NCBI Official Full Name	interferon gamma
NCBI Official Synonym Full Names	interferon, gamma
NCBI Official Symbol	IFNG
NCBI Official Synonym Symbols	IFG; IFI
NCBI Protein Information	interferon gamma
UniProt Protein Name	Interferon gamma
UniProt Gene Name	IFNG
UniProt Synonym Gene Names	IFN-gamma
UniProt Entry Name	IFNG_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.