

Rabbit STAMBP Polyclonal Antibody | anti-STAMBP antibody

Anti-STAMBP Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA262337	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

STAMBP; Polyclonal Antibody; Anti-STAMBP Antibody; AMSH; STAM-binding protein; Associated molecule with the SH3 domain of STAM; Endosome-associated ubiquitin isopeptidase; anti-STAMBP antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of STAMBP protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	348
Applicable Applications for anti-STAMBP antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant full length protein of human STAMBP
Preparation and Storage	Upon delivery aliquot and store at -20°C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of STAMBP staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of STAMBP staining in rat spleen formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of STAMBP expression in HepG2 (A), Hela (B), mouse brain (C), rat lung (D) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-STAMBP antibody	Rabbit polyclonal antibody to STAMBP
--	--------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	5453545
NCBI GeneID	10617
NCBI Accession #	NP_006454.1
NCBI GenBank Nucleotide #	NM_006463.4
UniProt Accession #	O95630; Q3MJE7; B5M0B6; D6W5H7
NCBI Official Full Name	STAM-binding protein
NCBI Official Synonym Full Names	STAM binding protein
NCBI Official Symbol	STAMBP
NCBI Official Synonym Symbols	AMSH; MICCAP
NCBI Protein Information	STAM-binding protein
UniProt Protein Name	STAM-binding protein
UniProt Gene Name	STAMBP
UniProt Synonym Gene Names	AMSH
UniProt Entry Name	STABP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/stampb-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/262337>