

Rabbit Transketolase Polyclonal Antibody | anti-TKT antibody

Anti-Transketolase Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA262809	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Transketolase; Polyclonal Antibody; Anti-Transketolase Antibody; TK; anti-TKT antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Transketolase protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	623
Applicable Applications for anti-TKT antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant full length protein of human Transketolase
Preparation and Storage	Upon receipt aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Transketolase staining in Jurkat cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of Transketolase staining in rat brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Transketolase expression in Jurkat (A), MCF7 (B), mouse liver (C), rat kidney (D) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-TKT antibody	Rabbit polyclonal antibody to Transketolase
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507521
NCBI GeneID	7086
NCBI Accession #	NP_001055.1
NCBI GenBank Nucleotide #	NM_001064.3
UniProt Accession #	P29401; Q8TBA3; Q96HH3; A8K089; B4DE31; E7EPA7
NCBI Official Full Name	transketolase isoform 1
NCBI Official Synonym Full Names	transketolase
NCBI Official Symbol	TKT
NCBI Official Synonym Symbols	TK; TKT1; SDDHD; HEL107; HEL-S-48
NCBI Protein Information	transketolase
UniProt Protein Name	Transketolase
UniProt Gene Name	TKT
UniProt Synonym Gene Names	TK
UniProt Entry Name	TKT_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.